

---

# Proto Successor Measure: Representing the space of all possible solutions of Reinforcement Learning

---

**Siddhant Agarwal\***

The University of Texas at Austin  
siddhant@cs.utexas.edu

**Harshit Sikchi\***

The University of Texas at Austin  
hsikchi@utexas.edu

**Peter Stone**

The University of Texas at Austin  
Sony AI  
pstone@cs.utexas.edu

**Amy Zhang**

The University of Texas at Austin  
amy.zhang@austin.utexas.edu

## Abstract

Reinforcement Learning has seen significant success over the years but its ability to scale to solve an task in a zero-shot manner is still an open discussion. While recent works have attempted to produce zero-shot RL, they make assumptions on the structure of representations. We introduce *Proto Successor Measure*: a framework that learns policy independent representations that inherently satisfy the Bellman flow constraint. We show that the representations that allow for zero-shot RL can be shown to form an affine set and can consequently be defined only using a set of policy-independent basis vectors along with a fixed bias vector. Any possible behavior on the MDP can be shown to be a linear combination of these basis and bias vectors. We derive a practical algorithm to learn these vectors using only interaction data from the environment and show that our approach can produce the optimal Q function and the policy at test time for any given reward function.

## 1 Introduction

Reinforcement Learning algorithms involve finding a sequence of decisions that optimally solves a given task in the environment. Given an environment, many tasks (or reward functions) can be defined each requiring a different sequence of optimal decisions. In this paper, we aim to train agents that can produce optimal decisions for a range of tasks in the same environment. While related machine learning fields like computer vision and natural language processing have shown success in zero-shot Ramesh et al. (2021) and few-shot Radford et al. (2021) adaptation to a wide range of downstream tasks, RL lags behind in such functionalities. RL agents are usually trained for a given task (reward function) or on a distribution of related tasks; most RL agents do not generalize to solving unrelated tasks, even in the same environment. Unsupervised reinforcement learning aims to extract information (skills Eysenbach et al. (2018); Zahavy et al. (2022), representations Ma et al. (2022), world-model Janner et al. (2022), goal-reaching policies Agarwal et al. (2024); Sikchi et al. (2023a), etc.) from the environment using data independent of the task reward to efficiently train RL agents for any task. Recent advances in unsupervised RL (Wu et al., 2018; Touati & Ollivier, 2021; Blier et al., 2021) have shown some promise towards achieving zero-shot RL.

Recently proposed pretraining algorithms (Stooke et al., 2020; Schwarzer et al., 2021b; Sermanet et al., 2018; Nair et al., 2022; ?) use large-scale task-independent data to train representations that can lead to zero-shot or few-shot reinforcement learning for several tasks. Most of the methods learn

---

\*Equal contribution

representations around the data-collecting policies and are hence restricted to limited downstream tasks. Instead, we aim to learn a representation of the MDP that captures all possible behaviors of an agent given the dataset of interactions. Some prior works (Mahadevan, 2005; Bellemare et al., 2019; Farebrother et al., 2023; Machado et al., 2017a,b) have used graph Laplacians to capture the dynamics. Proto Value Functions (Mahadevan, 2005) and follow-up work (Bellemare et al., 2019; Farebrother et al., 2023; Wu et al., 2018) used the eigenvectors of the graph Laplacian obtained from a random policy to approximate the global basis of value functions. While a uniformly random policy might produce informative state visitations, it does not cover all possible behaviors on the dynamics. Some recent methods have attempted zero-shot RL by decomposing the representation of visitation distributions (Touati & Ollivier, 2021; Touati et al., 2023) or by projecting the state space to a metric aware space (Park et al., 2024b,a). While these methods do show some progress in zero-shot RL, methods like those of Park et al. (2024b,a) make assumptions about the underlying metric space. We aim to explore a representation structure derived from the inherent Markov nature of the underlying stochastic process that can truly capture any possible behavior.

To this end, we draw our inspiration from the linear programming view (Manne, 1960; Denardo, 1970; Nachum & Dai, 2020; Sikchi et al., 2023b) of reinforcement learning where the value function is represented as a dot product between a *state-action visitation distribution* and the reward. The objective is to find the visitation distribution that maximizes the return subject to the Bellman flow constraints. Since the reward function is not subject to any additional constraints, we learn a representation for all possible state-action visitation distributions, and by extension, all possible successor measures that satisfy the Bellman flow constraints. We show that any successor measure can be represented as a linear combination of policy-independent basis functions and a bias. We introduce *Proto-Successor Measure*, a framework that learns a set of basis functions and bias to represent any successor measure in the MDP using reward-free interaction data. Obtaining the optimal policy reduces to simply finding the linear weights to combine these basis vectors. These basis vectors only depend on the state-action transition dynamics of the MDP, independent of the initial state distribution, reward, or policy, and can be thought to compactly represent the entire dynamics.

The contributions of our work are (1) A novel, mathematically complete perspective on representation learning for Markov decision processes. (2) An efficient practical instantiation that reduces basis learning to a single-player optimization (3) Extensive evaluations of a number of tasks demonstrating the capability of our learned representations to quickly infer optimal policies.

## 2 Related Work

**Unsupervised Reinforcement Learning:** Unsupervised RL generally refers to a broad class of algorithms that use reward-free data to improve the efficiency of RL algorithms. These include methods that provide intrinsic rewards (auxiliary tasks) to improve exploration (Bellemare et al., 2016; Burda et al., 2018; Houthoofd et al., 2016; Lee et al., 2019) or representation learning (Sermanet et al. (2018); Nair et al. (2022); Schwarzer et al. (2021a); Agarwal et al. (2021)). We are focusing on methods that can learn representations to produce optimal Q functions for any given reward function. Representation learning through unsupervised or self-supervised RL has been discussed for both pre-training (Nair et al., 2022; ?) and training as auxiliary objectives (Agarwal et al., 2021; Schwarzer et al., 2021a; ?). While using auxiliary objectives for representation learning does accelerate policy learning for downstream tasks, the policy learning begins from scratch for a new task. Pre-training methods like ?Nair et al. (2022) use self-supervised learning techniques from computer vision like masked auto-encoding to learn representations that can be used directly for downstream tasks. These methods use large-scale datasets (?) to learn representations but these are fitted around the policies used for collecting data. These representations do not represent any possible behavior nor can they represent Q functions for any reward functions.

There are also works that aim to discover intents or skills from diverse trajectories []. These methods use the fact that the latents or skills should define the output state-visitiation distributions thus maximizing mutual information (Warde-Farley et al., 2018; Eysenbach et al., 2018; Achiam et al., 2018; Eysenbach et al., 2021) or minimizing Wasserstein distance (Park et al., 2024b) between the latents and corresponding state-visitiation distributions. Many works use this construction.

**Methods that linearize RL quantities:** In this subsection, we discuss methods that represent different RL quantities as a linear combination of some basis vectors and explain how our method is different from them. All these methods aimed to use these basis functions to transfer to a new task that can be represented in the span of these basis functions. Successor features (Barreto et al., 2018) represents rewards as linear combination of transition features. Consequently, Q value functions can also be represented as a linear combination of successively accumulated features. Several methods have extended successor features (Hansen et al., 2019; Lehnert & Littman, 2020; Hoang et al., 2021; Reinke & Alameda-Pineda, 2023) to more complex domains.

Spectral methods like Proto Value Functions (PVFs) (Mahadevan, 2005; Mahadevan & Maggioni, 2007) instead represent the value functions as a linear combination of basis vectors. It uses the eigenvectors of the random walk operator (graph Laplacian) as the basis vectors. Works like Adversarial Value Functions Bellemare et al. (2019) and Proto Value Networks (Farebrother et al., 2023) have extended this idea in different ways. However, deriving these eigenvectors from a Laplacian is not scalable to larger state spaces. Wu et al. (2018) came up with an approximate scalable objective but in any case, the Laplacian is dependent on the policy which makes it incapable of representing all behaviors or Q functions.

Forward Backward Representations (Touati & Ollivier, 2021; Touati et al., 2023), on the other hand, use an inductive bias on the successor measure to decompose it into a forward and backward representation. We also provide a representation for the successor measure, but unlike FB our representations are linear on a set of basis features. Additionally, FB ties the reward representation with the representation of the optimal policy derived using Q function maximization which can lead to overestimation issues.

### 3 Preliminaries

In this section we introduce some preliminaries and define terminologies that will be used in later sections. We begin with some MDP fundamentals and RL preliminaries followed by a discussion on affine spaces which form the basis for our representation learning paradigm.

#### 3.1 Markov Decision Processes

A Markov Decision Process is defined as a tuple  $\langle \mathcal{S}, \mathcal{A}, P, r, \gamma, \mu \rangle$  where  $\mathcal{S}$  is the state space,  $\mathcal{A}$  is the action space,  $P : \mathcal{S} \times \mathcal{A} \mapsto \Delta(\mathcal{S})$  is the transition probability ( $\Delta(\cdot)$  denotes a probability distribution over a set),  $\gamma \in [0, 1)$  is the discount factor,  $\mu$  is the distribution over initial states and  $r : \mathcal{S} \times \mathcal{A} \mapsto \mathbb{R}$  is the reward function. The *task* is specified using the reward function  $r$  and the initial state distribution  $\mu$ . The goal for the RL agent is to learn a policy  $\pi_\theta : \mathcal{S} \mapsto \mathcal{A}$  that maximizes the expected return  $J(\pi_\theta) = \mathbb{E}_{s_0 \sim \mu} \mathbb{E}_{\pi_\theta} [\sum_{t=0}^{\infty} \gamma^t r(s_t, a_t)]$ .

In this work, we consider a *task-free* MDP which does not provide the reward function or the initial state distribution. Hence a *task-free* or *reward-free* MDP is simply the tuple  $\langle \mathcal{S}, \mathcal{A}, P, \gamma \rangle$ . A *task-free* MDP essentially only captures the underlying environment dynamics and can have infinite downstream tasks specified through different reward functions.

The state-action visitation distribution,  $d^\pi(s, a)$  is defined as the normalized probability of being in a state  $s$  and taking an action  $a$  if the agent follows the policy  $\pi$  from a state sampled from the initial state distribution. Concretely,  $d^\pi(s, a) = (1 - \gamma) \sum_{t=0}^{\infty} \gamma^t \mathbb{P}(s_t = s, a_t = a)$ . A more general quantity, successor measure,  $M^\pi(s, a, s^+, a^+)$  is defined as the probability of being in state  $s^+$  and taking action  $a^+$  when starting from the state-action pair  $s, a$  and following the policy  $\pi$ . Mathematically,  $M^\pi(s, a, s^+, a^+) = (1 - \gamma) \sum_{t=0}^{\infty} \gamma^t \mathbb{P}(s_t = s^+, a_t = a^+ | s_0 = s, a_0 = a)$ . The state-action visitation distribution can be written as  $d^\pi(s, a) = \mathbb{E}_{s_0 \sim \mu(s), a_0 \sim \pi(a_0 | s_0)} [M^\pi(s_0, a_0, s, a)]$ .

Both these quantities, state-action visitation distribution, and successor measure follow the Bellman Flow equations.

$$d^\pi(s, a) = (1 - \gamma)\mu(s)\pi(a|s) + \gamma \sum_{s', a' \in \mathcal{S}\mathcal{A}} P(s|s', a')d^\pi(s', a')\pi(a|s) \quad (1)$$

For successor measure, the initial state distribution changes to an identity function

$$M^\pi(s, a, s^+, a^+) = (1 - \gamma)\mathbb{1}[s = s^+, a = a^+] + \gamma \sum_{s', a' \in \mathcal{S}\mathcal{A}} P(s^+|s', a') M^\pi(s, a, s', a') \pi(a^+|s^+) \quad (2)$$

Given a task reward function  $r$ , the RL objective can be rewritten in the form of a constrained linear program.

$$\begin{aligned} \max_d \quad & \sum_{s,a} d(s, a) r(s, a) \\ \text{s.t.} \quad & d(s, a) = (1 - \gamma)\mu(s)\pi(a|s) + \gamma \sum_{s', a' \in \mathcal{S}\mathcal{A}} P(s|s', a') d(s', a') \pi(a|s) \\ & d(s, a) \geq 0 \quad \forall s, a \end{aligned} \quad (3)$$

The Q function can then be defined using successor measure as  $Q^\pi(s, a) = \sum_{s^+, a^+} M^\pi(s, a, s^+, a^+) r(s^+, a^+)$  or  $Q^\pi = M^\pi r$ . Obtaining the optimal policies requires maximizing the Q function which requires solving  $\max_\pi M^\pi r$ .

### 3.2 Affine Spaces

Let  $\mathcal{V}$  be a vector space and  $b$  be a vector. An affine set is defined as  $A = b + \mathcal{V} = \{x | x = b + v, v \in \mathcal{V}\}$ . Any vector in a vector space can be written as a linear combination of basis vectors i.e.  $v = \sum_i^n \alpha_i v_i$  where  $n$  is the dimensionality of the vector space. This implies that any element of an affine space can be expressed as  $x = b + \sum_i^n \alpha_i v_i$ .

Given a system of linear equations  $Ax = c$ , with  $A$  being an  $m \times n$  matrix ( $m < n$ ), and  $c \neq 0$ , the solution  $x$  forms an affine set. Hence  $x = b + \sum_i \alpha_i x_i$ . The vectors  $\{x_i\}$  form the basis set of the null space or Kernel of  $A$ . The values  $(\alpha_i)$  form the affine coordinates of  $x$  for the basis  $\{x_i\}$ . Hence, for a given system with known  $\{x_i\}$  and  $b$ , any solution can be represented only using the affine coordinates  $(\alpha_i)$ .

## 4 Theoretical Motivation

In this section, we introduce the theoretical results that form the foundation for our representation learning approach. The goal is to learn policy-independent representations that can represent any valid visitation distribution in the environment (i.e satisfy the Bellman flow constraint in Equation 3). With a compact way to represent these distributions, it is possible to reduce the policy optimization problem to a search in this compact representation space. We will show that state visitation distributions and successor measures form an affine set and thus can be represented as  $\sum_i \phi_i w_i^\pi + b$  where  $\phi_i$  are basis functions,  $w_i^\pi$  are ‘‘coordinates’’ or weights to linearly combine the basis functions, and  $b$  is a bias term. First, we build up the formal intuition for this statement and later we will use a toy example to show how these representations can make policy search easier.

The first constraint in Equation 3 is the Bellman Flow equation. We begin with Lemma 4.1 showing that state visitation distributions that satisfy the Bellman Flow form affine sets.

**Lemma 4.1.** *All possible state-action visitation distributions in an MDP form an affine set.*

While Lemma 4.1 shows that any state-action visitation distribution in an MDP can be written using a linear combination of basis and bias terms, state-action visitation distributions still depend on the initial state distribution. Moreover, as shown in Equation 1, computing the state-action visitation distribution requires a summation over all states and actions in the MDP which is not always possible. Successor measures are more general than state-visitiation distributions as they encode the state-action visitation of the policy conditioned on a starting state-action pair. Using similar techniques, we show that not only state-visitiation distributions but in fact, successor measures also form affine sets.

**Theorem 4.2.** *Any successor measure,  $M^\pi$  in an MDP forms an affine set and so can be represented as  $\sum_i^d \phi_i w_i^\pi + b$  where  $\phi_i$  and  $b$  are independent of the policy  $\pi$  and  $d$  is the dimension of the affine space.*

Following Theorem 4.2, for any  $w$ , the function  $\sum_i^d \phi_i w_i^\pi + b$  will be a solution of Equation 2. Hence, given  $\Phi$  ( $\phi_i$  stacked together) and  $b$ , we do not need the first constraint on the linear program (in Equation 3) anymore. The other constraint:  $\phi_i w_i + b \geq 0$  still remains which  $w$  needs to satisfy. We discuss ways to manage this constraint in Section 5.3. The linear program given a reward function now becomes,

$$\begin{aligned} \max_w \quad & \mathbb{E}_\mu[(\Phi w + b)r] \\ \text{s.t.} \quad & \Phi w + b \geq 0 \quad \forall s, a. \end{aligned} \quad (4)$$

In fact any visitation distribution that is a policy-independent linear transformation of  $M^\pi$  such as state visitation distribution or future state-visitiation distribution, can be represented in the same way as shown in Corollary 4.3.

**Corollary 4.3.** *Any quantity that is a policy-independent linear transformation of  $M^\pi$  can be written as a linear combination of policy-independent basis and bias terms.*

**Toy Example:** Let's consider a simple 2 state MDP (as shown in Figure 1a) to depict how the precomputation and inference will take place. Consider the state-action visitation distribution as in Equation 1. For this simple MDP, the  $\Phi$  and  $b$  can be computed using simple algebraic manipulations. For a given initial state-visitiation distribution,  $\mu$  and  $\gamma$ , the state-action visitation distribution  $d = (d(s_0, a_0), d(s_1, a_0), d(s_0, a_1), d(s_1, a_1))^T$  can be written as,

$$d = w_1 \begin{pmatrix} \frac{-\gamma}{1+\gamma} \\ \frac{-1}{1+\gamma} \\ 1 \\ 0 \end{pmatrix} + w_2 \begin{pmatrix} \frac{-1}{1+\gamma} \\ \frac{-\gamma}{1+\gamma} \\ 0 \\ 1 \end{pmatrix} + \begin{pmatrix} \frac{\mu(s_0) + \gamma\mu(s_1)}{1+\gamma} \\ \frac{\mu(s_1) + \gamma\mu(s_0)}{1+\gamma} \\ 0 \\ 0 \end{pmatrix} \quad (5)$$

The derivation for these basis vectors and the bias vector is in the supplementary material. Equation 5 represents any vector that is a solution of Equation 1 for the simple MDP. So any state-action visitation distribution possible in the MDP can now be represented using only  $w = (w_1, w_2)^T$ . The only constraint in the linear program of Equation 4 is  $\Phi w + b \geq 0$ . Looking closely, this constraint gives rise to four inequalities in  $w$  and the linear program reduces to,

$$\begin{aligned} \max_{w_1, w_2} \quad & \left( \frac{-\gamma w_1 - w_2}{1+\gamma}, \frac{-w_1 - \gamma w_2}{1+\gamma}, w_1, w_2 \right)^T r \\ \text{s.t.} \quad & w_1 + \gamma w_2 \leq \mu(s_0) + \gamma\mu(s_1) \\ & \gamma w_1 + w_2 \leq \mu(s_1) + \gamma\mu(s_0) \\ & w_1 \geq 0, w_2 \geq 0 \end{aligned} \quad (6)$$

The inequalities in  $w$  give rise to a simplex as shown in Figure 1b. For any specific instantiation of  $\mu$  and  $r$ , the optimal policy can be easily found. For instance, if  $\mu = (1, 0)^T$  and the reward function,  $r = (1, 0, 1, 0)^T$ , the optimal  $w$  will be obtained at the vertex  $(w_1 = 1, w_2 = 0)$  and the corresponding state-action visitation distribution is  $d = (0, 0, 1, 0)^T$ .

As shown for the toy MDP, the successor measures form a simplex as discussed in Eysenbach et al. (2021). Spectral Methods following Proto Value Functions (Mahadevan & Maggioni, 2007) have tried to represent value functions using a linear combination of basis vectors,  $V = \Phi^{vf} w$  for some  $\Phi^{vf}$ . Some prior works (Dadashi et al., 2019) have argued that value functions do not form convex polytopes. We show through Theorem 4.4 that for identical dimensionalities of basis, the span of value functions using basis functions is a subset of the set of value functions that can be represented using the span of the successor measure.




Figure 1: (left) A Toy MDP with 2 states and 2 actions to depict how the linear program of RL is reduced using precomputation. (right) The corresponding simplex for  $w$  assuming the initial state distribution is  $\mu = (1, 0)^T$ .

**Theorem 4.4.** *For the same dimensionality,  $\text{span}\{\Phi^{vf}\}$  represents the set of the value functions spanned by  $\Phi^{vf}$  and  $\{\text{span}\{\Phi\}r\}$  represents the set of value functions using the successor measures spanned by  $\Phi$ ,  $\text{span}\{\Phi^{vf}\} \subseteq \{\text{span}\{\Phi\}r\}$ .*

Approaches such as Forward Backward Representations (Touati & Ollivier, 2021) have been based on representing successor measures but they have forced a latent variable  $z$  representing the policy to be a function of the reward for which the policy is optimal. The forward map that they propose is a function of this latent  $z$ . We, on the other hand, propose a representation that is truly independent of the policy or the reward.

## 5 Method

In this section, we start by introducing the practical algorithm inspired from the theory discussed in Section 4 for obtaining  $\Phi$  and  $b$ . We will also discuss the inference step i.e., obtaining  $w$  for a given reward function.

### 5.1 Learning $\Phi$ and $b$

For a given policy  $\pi$ , its successor measure under our framework is denoted by  $M^\pi = \Phi w^\pi + b$  with  $w^\pi$  the only object depending on policy. Given an offline dataset with density  $\rho$ , we follow prior works (Touati & Ollivier, 2021; Blier et al., 2021) and model densities  $m^\pi = M^\pi/\rho$  learned with the following objective:

$$L^\pi(\Phi, b, w^\pi) = -\mathbb{E}_{s,a \sim \rho}[m^{\Phi, b, w^\pi}(s, a, s, a)] + \frac{1}{2}\mathbb{E}_{s,a,s' \sim \rho, s^+, a^+ \sim \rho}[m^{\Phi, b, w^\pi}(s, a, s^+, a^+) - \gamma \bar{m}^{\bar{\Phi}, \bar{b}, \bar{w}^\pi}(s', \pi(s'), s^+, a^+)] \quad (7)$$

The above objective only requires samples  $(s, a, s')$  from the reward-free dataset and a random state-action pair  $(s^+, a^+)$  (also sampled from the same data) to compute and minimize  $L(\pi)$ .

A  $\phi$  and  $b$  that allows for minimizing the  $L(\pi)$  for all  $\pi \in \Pi$  forms a solution to our representation learning problem. But how do we go about learning such  $\phi$  and  $b$ ? A naive way to implement learning  $\phi$  and  $b$  is via a bi-level optimization. We sample policies from the policy space of  $\Pi$ , for each policy we learn a  $w^\pi$  that optimizes the policy evaluation loss (Eq 7) and take a gradient update w.r.t  $\phi$  and  $b$ . In general, the objective can be optimized by any two-player game solving strategies with  $\Phi = [\phi, b]$  as the first player and  $w^\pi$  as the second player. Instead, in the next section, we present an approach to simplify learning representations to a single-player game.

### 5.2 Simplifying Optimization via a Discrete Codebook of Policies

We need a way to disentangle learning a new  $w$  for each newly sampled policy. To do so, we propose parameterizing  $w$  to be conditional on policy. In general, policies are high-dimensional objects and compressing them can result in additional overhead. Parameterizing policy with a latent variable  $z$  is another alternative but presents the challenge of covering the space of all possible policies by sampling  $z$ . Instead, we propose using a discrete codebook of policies as a way to simulate uniform sampling of all possible policies with support in the offline dataset.

**Discrete Codebook of Policies:** Denote  $z$  to a compact representation of policies. We propose to represent  $z$  as a random sampling *seed* that will generate a deterministic policy from the set of supported policies as follows:

$$\pi(a|s, z) = \text{Uniform Sample}(\text{seed} = z + \text{hash}(s)) \quad (8)$$

The above sampling strategy defines a unique mapping from a seed to a policy. If the seed generator is unbiased, the approach provably samples all possible deterministic policies uniformly. Now, with policy  $\pi_z$  and  $w_z$  parameterized as a function of  $z$  we derive the following single-player reduction to learn  $\Phi, b, w$  jointly.

$$\text{PSM-objective: } \min_{\phi, b, w(z)} \mathbb{E}_z[L^{\pi_z}(\phi, b, w(z))] \quad (9)$$

### 5.3 Fast Optimal Policy Inference on Downstream Tasks

After obtaining  $\Phi$  and  $b$  via the pretraining step, the only parameter to compute for obtaining the optimal Q function for a downstream task in the MDP is  $w$ . As discussed earlier,  $Q^* = \max_w(\Phi w + b)r$  but simply maximizing this objective will not yield a Q function. The linear program still has a constraint of  $\Phi w + b \geq 0, \forall s, a$ . We solve the constrained linear program by constructing the Lagrangian dual using Lagrange multipliers  $\lambda(s, a)$ . The dual problem is shown in Equation 10. Here, we write the corresponding loss for the constraint as  $\min(\Phi w + b, 0)$ .

$$\max_{\lambda \geq 0} \min_w -\Phi w r - \sum_{s,a} \lambda(s, a) \min(\Phi w + b, 0) \tag{10}$$

Once  $w^*$  is obtained, the corresponding  $M^*$  and  $Q^*$  can be easily computed. The policy can be obtained as  $\pi^* = \arg \max_a Q^*(s, a)$  for discrete action spaces and as DDPG style policy learning for continuous action spaces.

## 6 Experiments




Figure 2: **Qualitative results on a gridworld:** G denotes the goal sampled for every episode. The black regions are the boundaries/obstacles. (Top row) We visualize the optimal Q-functions inferred at test time for the given goal in the image by PSM. The arrows denote the optimal policy. (Bottom row) Denotes the sample path of the optimal policy inferred by the PSM agent starting from a start state S.

Our experiments qualitatively evaluate how PSM can be used to encapsulate an *task-free* MDP into a representation that will enable faster inference on any downstream task. For the purpose of this paper, we restrict ourselves to goal conditioned rewards on discrete gridworld and four room environments. Since the goal-conditioned rewards are state-only reward functions, we learn representations for  $M^\pi(s, a, s^+)$  instead of  $M^\pi(s, a, s^+, a^+)$ .

**Task Setup:** Both environments have discrete state and action spaces. The action space consists of five actions:  $\{up, right, down, left, stay\}$ . We collect all transitions possible in the environment to form our offline reward-free dataset to train  $\Phi$  and  $b$ . During inference, we sample a goal and infer the optimal Q function on the goal. Since the reward function is given by  $r(s) = \mathbb{1}_{s=g}$ , the inference looks like  $Q(s, a) = \max_w \Phi(s, a, g)w$  s.t.  $\Phi(s, a, s')w + b(s, a, s') \geq 0 \quad \forall s, a, s'$ . Figure 2 shows the Q function and the corresponding optimal policy (when executed from a fixed start state) on the gridworld and Figure 3 shows the same on the four-room environment. As illustrated clearly, for both the environments, the optimal Q function and policy can be obtained zero-shot for any given goal-conditioned downstream task. We observe a 100% success rate on both these tasks.




Figure 3: **Qualitative results on a four room:** G denotes the goal sampled for every episode. The black regions are the boundaries. The agent needs to navigate across rooms through the small opening to reach the goal. (Top row) We visualize the optimal Q-functions inferred at test time for the given goal in the image by PSM. The arrows denote the optimal policy. (Bottom row) Denotes the sample path of the optimal policy inferred by the PSM agent starting from a start state S.

## 7 Conclusion

Successor Measures are solutions of the Bellman Flow equations and hence form affine sets. We present a novel framework *Proto Successor Measures* for representing successor measures in an MDP that can be trained in an unsupervised manner, using only reward-free transitions. The framework utilises the fact that successor measures can be represented as a linear combination of basis functions and a bias term. These basis and bias terms are independent of the policy. These representations can infer any RL solution on the MDP by searching for the optimal linear weight. The value function for a successor measure given a reward function is simply a dot product between the successor measure and the reward vector. Hence, it makes sense to represent successor measure as optimal value functions can be obtained easily from them. We show that PSM can produce the optimal Q function and the optimal policy for any goal conditioned task in a couple of environments.

## References

- Joshua Achiam, Harrison Edwards, Dario Amodei, and Pieter Abbeel. Variational option discovery algorithms. *CoRR*, abs/1807.10299, 2018. URL <http://arxiv.org/abs/1807.10299>.
- Siddhant Agarwal, Aaron Courville, and Rishabh Agarwal. Behavior predictive representations for generalization in reinforcement learning. In *Deep RL Workshop NeurIPS 2021*, 2021. URL <https://openreview.net/forum?id=b5PJaxS6Jxg>.
- Siddhant Agarwal, Ishan Durugkar, Peter Stone, and Amy Zhang. f-policy gradients: A general framework for goal-conditioned rl using f-divergences. *Advances in Neural Information Processing Systems*, 36, 2024.
- André Barreto, Will Dabney, Rémi Munos, Jonathan J. Hunt, Tom Schaul, Hado van Hasselt, and David Silver. Successor features for transfer in reinforcement learning, 2018.
- Marc Bellemare, Sriram Srinivasan, Georg Ostrovski, Tom Schaul, David Saxton, and Remi Munos. Unifying count-based exploration and intrinsic motivation. *Advances in neural information processing systems*, 29, 2016.
- Marc Bellemare, Will Dabney, Robert Dadashi, Adrien Ali Taiga, Pablo Samuel Castro, Nicolas Le Roux, Dale Schuurmans, Tor Lattimore, and Clare Lyle. A geometric perspective on optimal



- representations for reinforcement learning. *Advances in neural information processing systems*, 32, 2019.
- Léonard Blier, Corentin Tallec, and Yann Ollivier. Learning successor states and goal-dependent values: A mathematical viewpoint. *CoRR*, abs/2101.07123, 2021. URL <https://arxiv.org/abs/2101.07123>.
- Yuri Burda, Harrison Edwards, Amos Storkey, and Oleg Klimov. Exploration by random network distillation. *arXiv preprint arXiv:1810.12894*, 2018.
- Robert Dadashi, Adrien Ali Taïga, Nicolas Le Roux, Dale Schuurmans, and Marc G. Bellemare. The value function polytope in reinforcement learning. *CoRR*, abs/1901.11524, 2019. URL <http://arxiv.org/abs/1901.11524>.
- Eric V Denardo. On linear programming in a markov decision problem. *Management Science*, 16(5): 281–288, 1970.
- Benjamin Eysenbach, Abhishek Gupta, Julian Ibarz, and Sergey Levine. Diversity is all you need: Learning skills without a reward function. *CoRR*, abs/1802.06070, 2018. URL <http://arxiv.org/abs/1802.06070>.
- Benjamin Eysenbach, Ruslan Salakhutdinov, and Sergey Levine. The information geometry of unsupervised reinforcement learning. *arXiv preprint arXiv:2110.02719*, 2021.
- Jesse Farebrother, Joshua Greaves, Rishabh Agarwal, Charline Le Lan, Ross Goroshin, Pablo Samuel Castro, and Marc G Bellemare. Proto-value networks: Scaling representation learning with auxiliary tasks. *arXiv preprint arXiv:2304.12567*, 2023.
- Steven Hansen, Will Dabney, André Barreto, Tom Van de Wiele, David Warde-Farley, and Volodymyr Mnih. Fast task inference with variational intrinsic successor features. *CoRR*, abs/1906.05030, 2019. URL <http://arxiv.org/abs/1906.05030>.
- Christopher Hoang, Sungryull Sohn, Jongwook Choi, Wilka Carvalho, and Honglak Lee. Successor feature landmarks for long-horizon goal-conditioned reinforcement learning, 2021.
- Rein Houthoofd, Xi Chen, Yan Duan, John Schulman, Filip De Turck, and Pieter Abbeel. Curiosity-driven exploration in deep reinforcement learning via bayesian neural networks. *CoRR*, abs/1605.09674, 2016. URL <http://arxiv.org/abs/1605.09674>.
- Michael Janner, Yilun Du, Joshua B. Tenenbaum, and Sergey Levine. Planning with diffusion for flexible behavior synthesis, 2022.
- Lisa Lee, Benjamin Eysenbach, Emilio Parisotto, Eric P. Xing, Sergey Levine, and Ruslan Salakhutdinov. Efficient exploration via state marginal matching. *CoRR*, abs/1906.05274, 2019. URL <http://arxiv.org/abs/1906.05274>.
- Lucas Lehnert and Michael L. Littman. Successor features combine elements of model-free and model-based reinforcement learning. *Journal of Machine Learning Research*, 21(196):1–53, 2020. URL <http://jmlr.org/papers/v21/19-060.html>.
- Yecheng Jason Ma, Shagun Sodhani, Dinesh Jayaraman, Osbert Bastani, Vikash Kumar, and Amy Zhang. Vip: Towards universal visual reward and representation via value-implicit pre-training, 2022. URL <https://arxiv.org/abs/2210.00030>.
- Marlos C. Machado, Marc G. Bellemare, and Michael H. Bowling. A laplacian framework for option discovery in reinforcement learning. *CoRR*, abs/1703.00956, 2017a. URL <http://arxiv.org/abs/1703.00956>.
- Marlos C. Machado, Clemens Rosenbaum, Xiaoxiao Guo, Miao Liu, Gerald Tesauro, and Murray Campbell. Eigenoption discovery through the deep successor representation. *CoRR*, abs/1710.11089, 2017b. URL <http://arxiv.org/abs/1710.11089>.
- Sridhar Mahadevan. Proto-value functions: Developmental reinforcement learning. In *Proceedings of the 22nd international conference on Machine learning*, pp. 553–560, 2005.

- Sridhar Mahadevan and Mauro Maggioni. Proto-value functions: A laplacian framework for learning representation and control in markov decision processes. *Journal of Machine Learning Research*, 8(10), 2007.
- Alan S Manne. Linear programming and sequential decisions. *Management Science*, 6(3):259–267, 1960.
- Ofir Nachum and Bo Dai. Reinforcement learning via fenchel-rockafellar duality. *arXiv preprint arXiv:2001.01866*, 2020.
- Suraj Nair, Aravind Rajeswaran, Vikash Kumar, Chelsea Finn, and Abhinav Gupta. R3m: A universal visual representation for robot manipulation, 2022.
- Seohong Park, Tobias Kreiman, and Sergey Levine. Foundation policies with hilbert representations, 2024a.
- Seohong Park, Oleh Rybkin, and Sergey Levine. Metra: Scalable unsupervised rl with metric-aware abstraction, 2024b.
- Alec Radford, Jong Wook Kim, Chris Hallacy, Aditya Ramesh, Gabriel Goh, Sandhini Agarwal, Girish Sastry, Amanda Askell, Pamela Mishkin, Jack Clark, Gretchen Krueger, and Ilya Sutskever. Learning transferable visual models from natural language supervision. *CoRR*, abs/2103.00020, 2021. URL <https://arxiv.org/abs/2103.00020>.
- Aditya Ramesh, Mikhail Pavlov, Gabriel Goh, Scott Gray, Chelsea Voss, Alec Radford, Mark Chen, and Ilya Sutskever. Zero-shot text-to-image generation. *CoRR*, abs/2102.12092, 2021. URL <https://arxiv.org/abs/2102.12092>.
- Chris Reinke and Xavier Alameda-Pineda. Successor feature representations, 2023.
- Max Schwarzer, Ankesh Anand, Rishab Goel, R Devon Hjelm, Aaron Courville, and Philip Bachman. Data-efficient reinforcement learning with self-predictive representations, 2021a.
- Max Schwarzer, Nitarshan Rajkumar, Michael Noukhovitch, Ankesh Anand, Laurent Charlin, R. Devon Hjelm, Philip Bachman, and Aaron C. Courville. Pretraining representations for data-efficient reinforcement learning. *CoRR*, abs/2106.04799, 2021b. URL <https://arxiv.org/abs/2106.04799>.
- Pierre Sermanet, Corey Lynch, Yevgen Chebotar, Jasmine Hsu, Eric Jang, Stefan Schaal, and Sergey Levine. Time-contrastive networks: Self-supervised learning from video, 2018.
- Harshit Sikchi, Rohan Chitnis, Ahmed Touati, Alborz Geramifard, Amy Zhang, and Scott Niekum. Score models for offline goal-conditioned reinforcement learning. *arXiv preprint arXiv:2311.02013*, 2023a.
- Harshit Sikchi, Qinqing Zheng, Amy Zhang, and Scott Niekum. Dual rl: Unification and new methods for reinforcement and imitation learning. *arXiv preprint arXiv:2302.08560*, 2023b.
- Adam Stooke, Kimin Lee, Pieter Abbeel, and Michael Laskin. Decoupling representation learning from reinforcement learning. *CoRR*, abs/2009.08319, 2020. URL <https://arxiv.org/abs/2009.08319>.
- Ahmed Touati and Yann Ollivier. Learning one representation to optimize all rewards. *Advances in Neural Information Processing Systems*, 34:13–23, 2021.
- Ahmed Touati, Jérémy Rapin, and Yann Ollivier. Does zero-shot reinforcement learning exist?, 2023.
- David Warde-Farley, Tom Van de Wiele, Tejas D. Kulkarni, Catalin Ionescu, Steven Hansen, and Volodymyr Mnih. Unsupervised control through non-parametric discriminative rewards. *CoRR*, abs/1811.11359, 2018. URL <http://arxiv.org/abs/1811.11359>.
- Yifan Wu, George Tucker, and Ofir Nachum. The laplacian in RL: learning representations with efficient approximations. *CoRR*, abs/1810.04586, 2018. URL <http://arxiv.org/abs/1810.04586>.
- Tom Zahavy, Yannick Schroecker, Feryal Behbahani, Kate Baumli, Sebastian Flennerhag, Shaobo Hou, and Satinder Singh. Discovering policies with domino: Diversity optimization maintaining near optimality. *arXiv preprint arXiv:2205.13521*, 2022.

## A Appendix

In this section, we will present the proofs for all the Lemmas and Theorems stated in Section 4.

### A.1 Proof of Lemma 4.1

*Lemma 4.1.* All possible state-action visitation distributions in an MDP form an affine set.

*Proof.* Any state-action visitation distribution,  $d(s, a)$  must satisfy the Bellman Flow equation:

$$\sum_a d^\pi(s, a) = (1 - \gamma)\mu(s) + \gamma \sum_{s', a'} \mathbb{P}(s|s', a') d^\pi(s', a') \quad (11)$$

This equation can be written in matrix notation as:

$$\sum_a d^\pi = (1 - \gamma)\mu + \gamma P^T d^\pi \quad (12)$$

Rearranging the terms,

$$(S - \gamma P^T) d^\pi = (1 - \gamma)\mu \quad (13)$$

where  $S$  is the matrix for  $\sum_a$ . This equation is an affine equation of the form  $Ax = b$  whose solution set forms an affine set. Hence all state-visitiation distributions  $d^\pi$  form an affine set.  $\square$

### A.2 Proof of Theorem 4.2

*Theorem 4.2.* Any successor measure,  $M^\pi$  in an MDP forms an affine set and so can be represented as  $\sum_i^d \phi_i w_i^\pi + b$  where  $\phi_i$  and  $b$  are independent of the policy  $\pi$  and  $d$  is the dimension of the affine space.

*Proof.* Using Lemma 4.1, we have shown that state-action visitation distributions form affine sets. Similarly, successor measures,  $M^\pi(s, a, s^+, a^+)$  are solutions of the Bellman Flow equation:

$$M^\pi(s, a, s^+, a^+) = (1 - \gamma)\mathbb{1}[s = s^+, a = a^+] + \gamma \sum_{s', a' \in \mathcal{S}\mathcal{A}} P(s^+|s', a') M^\pi(s, a, s', a') \pi(a^+|s^+) \quad (14)$$

Taking summation over  $a^+$  on both sides gives us an equation very similar to Equation 11 and so can be written by rearranging as,

$$(S - \gamma P^T) M^\pi = (1 - \gamma)\mathbb{1}[s = s^+] \quad (15)$$

With similar arguments as in Lemma 4.1,  $M^\pi$  also forms an affine set. Any element  $x$  of an affine set can be written as  $\sum_i^d \phi_i w_i + b$  where  $\langle \phi_i \rangle$  are the basis and  $b$  is a bias vector. The basis is the given by the null space of the matrix operator  $(S - \gamma P^T)$ . Since the operator  $(S - \gamma P^T)$  and the vector  $(1 - \gamma)\mathbb{1}[s = s^+]$  are independent of the policy, the basis  $\Phi$  and the bias  $b$  are also independent of the policy.  $\square$

### A.3 Proof of Theorem 4.4

*Theorem 4.4.* For the same dimensionality,  $\text{span}\{\Phi^{vf}\}$  represents the set of the value functions spanned by  $\Phi^{vf}$  and  $\{\text{span}\{\Phi\}r\}$  represents the set of value functions using the successor measures spanned by  $\Phi$ ,  $\text{span}\{\Phi^{vf}\} \subseteq \{\text{span}\{\Phi\}r\}$ .

*Proof.* We need to show that any element that belongs to the set  $\{span\{\Phi\}r\}$  also belongs to the set  $span\{\Phi^{vf}\}$ .

$$V^\pi(s) = \sum_i \beta_i^\pi \Phi_i^{vf}(s)$$

If we assume a special  $\Phi_i(s, s') = \sigma_i(s)\eta_i(s')$ ,

$$\begin{aligned} V^\pi(s) &= \sum_i w_i^\pi \sum_{s'} \Phi(s, s')r(s') \\ &= \sum_i [w_i^\pi \sum_{s'} \eta_i(s')r(s')] \sigma_i(s) \end{aligned}$$

The two equations match with  $\beta_i^\pi = w_i^\pi \sum_{s'} \eta_i(s')r(s')$  and  $\sigma_i(s) = \Phi_i^{vf}(s)$ . This implies for every instance in the span of  $\Phi^{vf}$ , there exists some instance in the span of  $\Phi$ .  $\square$