

# OCALM: Object-Centric Assessment with Language Models

Timo Kaufmann<sup>\*,1,2</sup>, Jannis Blüml<sup>\*,3,4</sup>, Antonia Wüst<sup>\*,3</sup>, Quentin Delfosse<sup>\*,3,5</sup>,  
Kristian Kersting<sup>3,4,6,7</sup> & Eyke Hüllermeier<sup>1,2</sup>

*timo.kaufmann@ifi.lmu.de, quentin.delfosse@cs.tu-darmstadt.de, blueml@cs.tu-darmstadt.de*

<sup>1</sup>LMU Munich, Germany

<sup>2</sup>Munich Center of Machine Learning (MCML)

<sup>3</sup>AI and ML Group, Technical University of Darmstadt, Germany

<sup>4</sup>Hessian Center for Artificial Intelligence (hessian.AI)

<sup>5</sup>National Research Center for Applied Cybersecurity (Athene)

<sup>6</sup>Centre for Cognitive Science of Darmstadt

<sup>7</sup>German Research Center for Artificial Intelligence (DFKI)

## Abstract

Properly defining a reward signal to efficiently train a reinforcement learning (RL) agent is a challenging task. Designing balanced objective functions from which a desired behavior can emerge requires expert knowledge, especially for complex environments. Learning rewards from human feedback or using large language models (LLMs) to directly provide rewards are promising alternatives, allowing non-experts to specify goals for the agent. However, black-box reward models make it difficult to debug the reward. In this work, we propose Object-Centric Assessment with Language Models (OCALM) to derive inherently interpretable reward functions for RL agents from natural language task descriptions. OCALM uses the extensive world-knowledge of LLMs while leveraging the object-centric nature common to many environments to derive reward functions focused on relational concepts, providing RL agents with the ability to derive policies from task descriptions.

## 1 Introduction

Defining reward functions for reinforcement learning (RL) agents is a notoriously challenging task (Amodei et al., 2016; Knox et al., 2023; Delfosse et al., 2024; Kohler et al., 2024). Consequently, reward functions are often unavailable or sub-optimal, suffering from issues such as reward sparsity (Andrychowicz et al., 2017) or difficult credit assignment (Raposo et al., 2021; Wu et al., 2023). While standard RL benchmark are equipped with predefined reward functions, real-world tasks typically lack explicit reward signals. Existing approaches, such as reinforcement learning from human feedback (RLHF) (Christiano et al., 2017; Ouyang et al., 2022; Kaufmann et al., 2023), circumvent the reward specification problem by learning a reward model from human feedback. However, it generally requires learning reward models from scratch, which can be slow and inefficient. Further, their *black box* nature complicates the understanding and adjustment of the signal.

In contrast to RL agents, humans can learn to solve tasks without clear external rewards, deriving their own objectives from task context (Deci & Ryan, 2013) (*cf.* Figure 1). Given such context, humans formulate their own goals and generate a corresponding reward signal autonomously (Spence, 1947; Oudeyer & Kaplan, 2008). This capability stems from our rich understanding of the world,

---

\*Equal contribution




Figure 1: **Contrary to RL agents, humans infer objectives from context.** The RL setting assumes the existence of an external reward function, whereas humans are able to infer rewards from information about the environment and task context.

enabling us to derive specific goals from potentially vague task descriptions. Conversely, RL agents typically lack common sense and are trained tabula rasa, devoid of any world knowledge. In this paper, we demonstrate that large language models (LLMs) are capable of a similar feat, using their acquired world knowledge to derive goals from task descriptions that can be used by RL agents.

While previous works have demonstrated that LLMs can provide RL agents with a reward signal derived from context (Ma et al., 2024; Xie et al., 2024), these approaches do not capitalize on the object-centric and relational nature prevalent in environments that incorporate relational reasoning challenges. Assuming object-centricity offers a powerful inductive bias, enabling agents to reason about the world in terms of objects and their interactions rather than through raw pixels or other low-level features (Delfosse et al., 2023b; Luo et al., 2024). We demonstrate that by directing the LLM to concentrate on the relationships between objects we can significantly enhance the effectiveness of the generated reward functions and, consequently, improve the final agent’s performance.

We introduce Object-Centric Assessment with Language Models (OCALM, *cf.* Figure 2) as an approach to derive inherently interpretable reward functions for RL agents from the natural-language context of tasks. OCALM leverages both the extensive world-knowledge of LLMs and the object-centric nature of many environments to equip RL agents with a rich understanding of the world and the ability to derive goals from task descriptions. We leverage the powerful inductive bias of object-centric reasoning, directing the LLM to focus on the relationships between objects in the environment using a multi-turn interaction. OCALM comprises two main components: (1) a language model that generates a symbolic reward function from text-based task context, and (2) an RL agent that trains based on this derived reward function.

In our evaluations on the iconic Atari Learning Environment (ALE) (Mnih et al., 2013), we provide experimental evidence of OCALM’s performance, particularly its capability to learn policies comparable to those of agents trained with ground-truth reward functions. We demonstrate the benefits of object-centric reasoning through the relational inductive bias, which significantly enhances the quality of the learned reward functions. Additionally, we highlight the interpretability of the learned reward functions and OCALM’s applicability to environments lacking ground-truth rewards.

In summary, our specific contributions are:

- (i) We introduce OCALM, an approach for inferring relational (*object-centric*) reward functions from text-based task descriptions for RL agents.
- (ii) We show that OCALM produces learnable reward functions, that lead to RL agents performing on par with agents trained on the original reward.
- (iii) We empirically demonstrate the importance of object-centric reasoning for enhancing the performance of OCALM.
- (iv) We establish that OCALM provides inherently interpretable reward functions.

In the remainder of the paper, we provide a detailed description of OCALM and its components (Section 2), followed by experimental evaluations and analysis (Section 3). We address related work (Section 5) before concluding (Section 6).




Figure 2: **Object-Centric Assessment with Language Models.** OCALM extracts a *neurosymbolic abstraction* from the raw state, provided to a language model together with the game’s context, to generate a *symbolic reward function* (in python). The language model first generates relational utility functions, that are then used in the reward function. This transparent reward can be inspected and used to train the policy.

## 2 Object-Centric Assessment with Language Models

OCALM provides RL agents with inherently interpretable reward functions derived from text-based task descriptions. We follow a multistep approach, as depicted in Figure 2, to achieve this goal.

**(1) Context definition.** We start by gathering a *natural-language task description* and extracting an *object-centric state abstraction* from the raw input state. The task descriptions (listed in Appendix A.4) are based on the short descriptions of each Atari environment (Towers et al., 2023), slightly modified to add missing information. The object-centric state abstractions include the properties of each object, such as their class, position, size, and color. It is given by the classes provided by the OCArari framework (Delfosse et al., 2023a), *i.e.*, the parent game object class and the game-specific objects (examples are provided in Appendix A.3.2). Game objects related to the score were omitted, since we assume a reward-free environment. The task description and the object-centric state abstraction form the task context, which is provided to the language model.

**(2) LLM-driven reward generation.** The large language model (LLM) processes the task context to generate a symbolic reward function in the form of Python source code. We use a guided multi-turn approach to direct the LLM to focus on the relationships between objects in the environment, similar to chain-of-thought reasoning (Wei et al., 2022).

**(2.1) Relational concept extraction.** The LLM is tasked with generating relational functions that describe the relationships between objects in the environment (*cf.* Listing 4, Appendix A.3), which are important to understand the game states.

**(2.2) Reward generation.** Given the task context and the created utility functions, the LLM generates a symbolic reward function (*cf.* Listing 5, Appendix A.3).

**(2.3) Reward scaling.** As a last step, we prompt the LLM (Listing 6, Appendix A.3) to adjust the created reward function in such a way that the rewards are on a scale from  $-1$  to  $1$ .

The resulting reward function is a Python function mapping the object-centric state abstraction to a scalar reward with semantic descriptions. This code is interpretable, allowing experts to inspect and verify it before proceeding. We also present an ablated version, OCALM (no relations), where the LLM generates the reward function directly, skipping the relational and reward scaling steps. While the no relations version may still use relational concepts, we do not prompt it to do so. We use a modified prompt (Listing 3 in Appendix A.3) in that case. We provide a shortened example of a generated reward function in Listing 9 and the full reward functions in Appendix A.4.

**(3) Policy training.** The derived reward function is used to train an RL agent, which learns a policy that maximizes the reward. The agent can be trained using any conventional RL algorithm, Proximal Policy Optimization (PPO, Schulman et al., 2017) in our experiments.

```
def detect_collision(chicken, car): [...]
def has_reached_top(chicken, screen_height): [...]
def progress_made(chicken, screen_height): [...]

def reward_function(game_objects) -> float:
    # Initialize reward
    reward = 0.0

    # Constants
    SCREEN_HEIGHT = 160
    COLLISION_PENALTY = -1.0 # Scaled down to fit within [-1, 1]
    PROGRESS_REWARD = 0.1 # Scaled down to incrementally increase reward
    SUCCESS_REWARD = 1.0 # Maximum reward for reaching the top

    # Filter out chickens and cars from game_objects
    chickens = [obj for obj in game_objects if isinstance(obj, Chicken)]
    cars = [obj for obj in game_objects if isinstance(obj, Car)]

    # Assume control of the leftmost chicken (player's chicken)
    if chickens:
        player_chicken = min(chickens, key=lambda c: c.x)

        # Check if the chicken has reached the top
        if has_reached_top(player_chicken, SCREEN_HEIGHT):
            reward += SUCCESS_REWARD

        # Reward based on progress towards the top
        reward += progress_made(player_chicken, SCREEN_HEIGHT) * PROGRESS_REWARD

        # Check for collisions with any car
        for car in cars:
            if detect_collision(player_chicken, car):
                reward += COLLISION_PENALTY
                break # Only penalize once per time step

    # Ensure reward stays within the range [-1, 1]
    reward = max(min(reward, 1.0), -1.0)


    return reward
```

---


Listing 1: An example reward function generated by OCALM (full). Implementation of relational utility function elided and unused utilities removed. The full version is in Listing 9.

### 3 Experimental Evaluation

**Experimental setup:** We evaluate OCALM on four Atari games (Pong, Freeway, Skiing, and Seaquest) from the ALE (Bellemare et al., 2013). All results are averaged over three seeds for each agent configuration, with standard deviation indicated. We use Proximal Policy Optimization (PPO, Schulman et al., 2017) as the base architecture due to its success in Atari games. The input representation is a stack of four gray-scaled  $84 \times 84$  images, introduced by Mnih et al. (2015). All agents are trained using 10M frames with the implementation by Huang et al. (2022) and default hyperparameters (cf. Appendix A.1). We compare our OCALM agents trained with the ‘true’ reward functions given by the ALE environment, typically based on game score. Both types of agents are evaluated against the true game score. All evaluations use the latest *v5* version of the ALE environments, following best-practices to prevent overfitting (Machado et al., 2018). The results are presented as figures, refer to Appendix A.2 for numerical results. To generate our reward function, we assume access to object-centric state descriptions of the game state. To focus on description-based reward derivation, we use representations from the Object-Centric Atari (OCAtari) framework (Delfosse et al., 2023a). While a learned object detector could extract objects from raw input (Redmon et al., 2016; Lin et al., 2020), we use OCAtari for simplicity.



(a) Contrasting OCALM (full) rewards with environment rewards.



(b) Contrasting OCALM rewards (no relations) with environment rewards.

Figure 3: **OCALM generates meaningful reward functions that correlate with the intended game rewards.** These figures show the performance of agents trained on OCALM-derived rewards, measured on both the OCALM-derived reward and the environment reward.

The scales of rewards differ, therefore the axes are scaled to better visualize the correlation. Both plot for the same game share the same axis range for better comparability. The results indicate that (1) the reward functions generated by OCALM correspond to objectives learnable by an RL agent, and (2) the OCALM-derived rewards correlate with the environment rewards. All experiments were averaged over 3 seeds, with standard deviations shown as shaded areas.

We evaluate the OCALM approach to answer the following research questions:

- (Q1) Does OCALM generate rewards that correspond to learnable tasks?
- (Q2) Can OCALM agents master Atari environments without access to the true game score?
- (Q3) How does relation-focused reward derivation influence performance and interpretability?
- (Q4) How interpretable are the reward functions generated by OCALM agents?

**OCALM generates reward signals allowing to master the game (Q1).** We first test whether OCALM generates rewards that correspond to learnable tasks. For this purpose, we track the learning curves of agents trained on OCALM-derived rewards and verify that agents improve over time, e.g., learn to maximize the reward. Figure 3 shows that this is generally the case, with an exception for Freeway when using the ablated variant of OCALM (no relations) (see Figure 3b). For all other games, and for all games when using the full OCALM pipeline, the agents improve over time when measured on the OCALM-derived reward. Without the relational inductive bias, OCALM fails to generate learnable rewards for Freeway. This is due to a bug in the generated reward function (see Appendix A.4.1, Listing 10), which fails to identify the player-controlled chicken. Although it is quite possible that the relational inductive bias helps to avoid such bugs through mechanisms similar to chain-of-thought reasoning, they cannot entirely be prevented. More research is necessary to understand the impact of the relational inductive bias on the failure rate of generated reward functions. Iterative refinement could help further alleviate this issue, but generating successful reward functions in a single shot remains a significant computational advantage.




Figure 4: **OCALM agents can master different Atari environments.** Comparing the performance of agents trained on OCALM-derived rewards to agents trained on the true game score. All experiments were averaged over 3 seeds, with standard deviations shown as shaded areas.

**OCALM-based agents can master different Atari environments without access to the true game score (Q2).** Figure 4 shows the performance of agents trained on OCALM-derived rewards compared to those trained on the true game score. Performance is measured on the true game score in both cases, which OCALM agents cannot access during training. Our goal is not to exceed the baseline agents’ performance, but to show that OCALM agents can master environments without access to true rewards. Even though the OCALM-derived reward functions differ from the environment reward, we observe that OCALM agents, when using relational prompting, reliably improve their performance over the course of training when measured on the true game score. This further confirms that the reward functions generated by OCALM are correlated with the true game score, as discussed in the previous paragraph. For Freeway and Seaquest in particular, OCALM agents were able to reach competitive performance compared to the baseline agents, without requiring access to the true game score. Although OCALM agents do not match the baseline’s performance in Pong, they still show significant learning progress, again indicating the reward function generated by OCALM correlates with the environment reward.

**Relational prompting of OCALM agents improves reward quality (Q3).** Figure 4 shows that agents trained on OCALM-derived rewards with the relational inductive bias (denoted OCALM (full)) generally outperform those without it (denoted OCALM (no relations)). This is particularly evident in Freeway and Seaquest, where OCALM (full) agents reach performance competitive with the baseline, while OCALM (no relations) agents fail to learn the task. In Pong and Skiing, OCALM (full) agents perform equivalently to OCALM (no relations) agents, indicating the relational inductive bias is not beneficial in all cases, but also does not harm performance. Note that the OCALM (no relations) variant also skips the reward scaling step, which could be another contributing factor to the performance difference. Qualitatively, when inspecting the reward functions generated by OCALM (Appendix A.4), we observe that the relational inductive bias helps to capture more complex concepts, such as the distance to the nearest obstacle in Skiing Appendix A.4.4, which in turn can lead to better-shaped reward functions.

**OCALM generates interpretable reward functions (Q4).** The reward functions generated by OCALM (*cf.* Appendix A.4) are based on high-level objects and relations, documented with comments, making them easy to interpret and understand. Relational prompting further aids in generating interpretable reward functions by introducing easy-to-understand relational concepts, which add an abstraction layer to the reward function. Examples include collision detection, a relation generated for all games, and easily understandable concepts such as `has_reached_top` in Freeway (Appendix A.4.1), and more complex relations including multiple objects such as `detect_score_event` in Pong (Appendix A.4.2) or `check_gate_passage` in Skiing (Appendix A.4.4).

Table 1: Relating OCALM to the most closely related work, EUREKA (Ma et al., 2024) and Text2Reward (Xie et al., 2024). In contrast to our work, EUREKA and Text2Reward use multiple iterations to refine the reward function. All three approaches provide the LLM with additional information about the environment and the task. While EUREKA and Text2Reward evaluate on joint control tasks (locomotion and manipulation), we evaluate on relational tasks (Atari games).

Approach	1-Shot	Add. Context	Relational	Evaluation
EUREKA	No	Source code	No	Joint control
Text2Reward	No	Symb. state abstr.	No	Joint control
OCALM (ours)	Yes	Symb. state abstr.	Yes	Relational tasks

## 4 Limitations

In our evaluations, we use the integrated object extractor of OCArari which provides ground truth data. Such extractors can also be optimized using supervised (Redmon et al., 2016) or self-supervised (Lin et al., 2020; Delfosse et al., 2023c) object detection methods. We additionally rely on the language models ability to generate a reward function in a single shot. While our relational inductive bias helps, the LLM may miss crucial information such as the frequency of certain events, which is important to tune the relative scales of different reward components. Related works (Ma et al., 2024; Xie et al., 2024) rely on iterative refinement of the reward function, which could further enhance OCALM’s performance. Nonetheless, the relational inductive bias enables OCALM to frequently learn successful reward functions in a single shot, a significant computational efficiency advantage.

## 5 Related Work

OCALM lies at the intersection of several research areas, including reinforcement learning from human feedback (RLHF), language-guided RL, explainable RL and relation extraction.

**Reward learning** has been studied in various forms and based on different sources, such as demonstrations (Arora & Doshi, 2021) and human preferences (Kaufmann et al., 2023). While these approaches can be very effective, they often require a large amount of human supervision, which can be costly and time-consuming. Our method, by combining human guidance given through the task description with the extensive world knowledge of LLMs, helps to alleviate this issue. Particularly closely related to ours, RL-VLM-F (Wang et al., 2024) is a notable approach that learns a reward model from pairwise comparisons judged by a vision-language model based on a natural language task description. Similar to OCALM, this leverages the prior knowledge of the vision-language model. In contrast to our work, however, Wang et al. (2024) and most other reward learning methods learn black-box reward models in the form of neural networks, which are not interpretable.

**LLM-written reward functions** have been studied by Ma et al. (2024), who propose EUREKA, and Xie et al. (2024), who propose Text2Reward. These are the most closely related works to ours. Table 1 highlights the most relevant differences between our method and theirs. Like our approach, EUREKA and Text2Reward use LLMs to generate reward functions for RL agents. They assume access to a natural language task and environment descriptions, specifying the observations’ structure. EUREKA assumes descriptions are given in the form of incomplete source code, while Text2Reward requires class definitions that define the components of the state. Both approaches evaluate the generated reward functions on robotic manipulation and locomotion tasks.

EUREKA and Text2Reward work iteratively, *i.e.*, the reward function is refined based on feedback from the environment or a human expert. This can help further improve the reward function, but also requires more computational resources, time and supervision (either from a human expert or a success signal). Since the focus of our study is on the benefits of object-centric reward specifications, we leave the iterative refinement for future work and instead focus on improving single-shot performance.

In contrast to these prior works, we focus on relational reasoning environments, which require the agent to reason about multiple objects and their interactions. We leverage a relational inductive bias for improved one-shot performance, reducing the need for iterative refinement and human supervision. We further evaluate on the prominent Atari Learning Environment (Bellemare et al., 2013), the most used benchmark for reinforcement learning (Delfosse et al., 2023a), and show the importance of object-centric inductive biases for learning reward functions in this setting.

**RL from natural language task descriptions** is extensively studied (Nair et al., 2021; Zhou & Small, 2021; Pang et al., 2023; Karalus, 2024). While these approaches are similar to ours in that they use natural language to specify the task, they typically do not leverage the world knowledge of LLMs, do not learn interpretable reward functions, and do not use relational inductive biases.

**Explainable RL (XRL)** is a subfield of explainable AI (XAI) (Milani et al., 2023; Dazeley et al., 2023; Krajna et al., 2022). XRL aims to offer insights into the behavior of RL agents, aiding in realigning agents. OCALM helps in this endeavor by providing inherently interpretable reward functions, which can be inspected and verified by experts. This can be used to align the reward functions with certain societal values, such as more pacific gameplays in *e.g.* shooting games.

**Relation extraction** has been studied in many forms, including prior task-knowledge integration (Reid et al., 2022), or human intervention (Steinmann et al., 2023; Wüst et al., 2024; Stammer et al., 2024) and neural guidance from a pretrained fully deep agent (Delfosse et al., 2023b), based on first order logic, notably from (Shindo et al., 2021; 2023), relying on human predicate or automated predicate invention (Sha et al., 2023; 2024). In contrast to these works, we use an LLM to extract relations between objects in the environment, which are then used to derive reward functions. Particularly relevant is the work by Wu et al. (2023), who extract relevant relations using LLMs with access to an instruction manual. This differs from our work in that they use the extracted relations to supplement existing rewards instead of entirely replacing the environment reward function.

## 6 Conclusion

We have presented OCALM, a novel approach for deriving inherently interpretable reward functions for RL agents from natural language task descriptions. Our method leverages the extensive world knowledge of LLMs and the object-centric, relational nature of the environment to generate symbolic reward functions that can be inspected and verified by experts. We have shown that OCALM can be used to train RL agents on Atari games, demonstrating that the derived reward functions are effective in guiding the agent to learn the desired behavior. OCALM agents utilize the abstracted knowledge of LLMs alongside explicit relational concepts to derive effective and inherently interpretable reward functions for complex RL environments.

### Broader Impact Statement

We here develop RL agents with transparent, human-defined objectives, improving RL accessibility to non-experts. We thus reduce the barrier to entry for non-experts, helping to ensure that the objectives of the agents are aligned with the user’s intentions. A malicious user can, however, utilize such approaches for developing agents with harmful objectives, thereby potentially leading to a negative impact on further users or society as a whole. Even so, the inspectable nature of transparent approaches will allow to identify such potentially harmful misuses, or hidden misalignment.

### Acknowledgments

This work is supported by LMUexcellent, funded by the Federal Ministry of Education and Research (BMBF) and the Free State of Bavaria under the Excellence Strategy of the Federal Government and the Länder and by the Hightech Agenda Bavaria. Additionally, we thank the following organizations for funding this research project. The German Federal Ministry of Education and Research, the Hessian Ministry of Higher Education, Research, Science and the Arts (HMWK) within their joint support of the National Research Center for Applied Cybersecurity ATHENE, via the “SenPai:



XReLeaS” project as well as their cluster project within the Hessian Center for AI (hessian.AI) “The Third Wave of Artificial Intelligence - 3AI”. Further was it supported by the Priority Program (SPP) 2422 in the subproject “Optimization of active surface design of high-speed progressive tools using machine and deep learning algorithms“ funded by the German Research Foundation (DFG).

## References

- Dario Amodei, Chris Olah, Jacob Steinhardt, Paul Christiano, John Schulman, and Dan Mané. Concrete Problems in AI Safety, 2016.
- Marcin Andrychowicz, Filip Wolski, Alex Ray, Jonas Schneider, Rachel Fong, Peter Welinder, Bob McGrew, Josh Tobin, OpenAI Pieter Abbeel, and Wojciech Zaremba. Hindsight Experience Replay. In *Advances in Neural Information Processing Systems (NIPS)*, 2017.
- Saurabh Arora and Prashant Doshi. A Survey of Inverse Reinforcement Learning: Challenges, Methods and Progress. *Artificial Intelligence*, 2021. doi: [10.1016/j.artint.2021.103500](https://doi.org/10.1016/j.artint.2021.103500).
- M. G. Bellemare, Y. Naddaf, J. Veness, and M. Bowling. The Arcade Learning Environment: An Evaluation Platform for General Agents. *Journal of Artificial Intelligence Research*, 2013. doi: [10.1613/jair.3912](https://doi.org/10.1613/jair.3912).
- Paul Christiano, Jan Leike, Tom Brown, Miljan Martic, Shane Legg, and Dario Amodei. Deep Reinforcement Learning from Human Preferences. In *Advances in Neural Information Processing Systems (NIPS)*, 2017.
- Richard Dazeley, Peter Vamplew, and Francisco Cruz. Explainable reinforcement learning for broad-XAI: A conceptual framework and survey. *Neural Computing and Applications*, 2023. doi: [10.1007/s00521-023-08423-1](https://doi.org/10.1007/s00521-023-08423-1).
- Edward L. Deci and Richard M. Ryan. *Intrinsic Motivation and Self-Determination in Human Behavior*. Springer Science & Business Media, 2013.
- Quentin Delfosse, Jannis Blüml, Bjarne Gregori, Sebastian Sztwiertnia, and Kristian Kersting. OCAAtari: Object-Centric Atari 2600 Reinforcement Learning Environments, 2023a.
- Quentin Delfosse, Hikaru Shindo, Devendra Dhama, and Kristian Kersting. Interpretable and Explainable Logical Policies via Neurally Guided Symbolic Abstraction. In *Advances in Neural Information Processing Systems (NeurIPS)*, 2023b.
- Quentin Delfosse, Wolfgang Stammer, Thomas Rothenbacher, Dwarak Vittal, and Kristian Kersting. Boosting Object Representation Learning via Motion and Object Continuity. In *Machine Learning and Knowledge Discovery in Databases: Research Track*, 2023c. doi: [10.1007/978-3-031-43421-1\\_36](https://doi.org/10.1007/978-3-031-43421-1_36).
- Quentin Delfosse, Sebastian Sztwiertnia, Mark Rothermel, Wolfgang Stammer, and Kristian Kersting. Interpretable Concept Bottlenecks to Align Reinforcement Learning Agents, 2024.
- Shengyi Huang, Rousslan Fernand Julien Dossa, Chang Ye, Jeff Braga, Dipam Chakraborty, Kinjal Mehta, and João G. M. Araújo. CleanRL: High-quality Single-file Implementations of Deep Reinforcement Learning Algorithms. *Journal of Machine Learning Research*, 2022.
- Jakob Karalus. Tell my why: Training preferences-based rl with human preferences and step-level explanations. *arXiv*, 2024.
- Timo Kaufmann, Paul Weng, Viktor Bengs, and Eyke Hüllermeier. A Survey of Reinforcement Learning from Human Feedback, 2023.
- W. Bradley Knox, Alessandro Allievi, Holger Banzhaf, Felix Schmitt, and Peter Stone. Reward (Mis)design for autonomous driving. *Artificial Intelligence*, 2023. doi: [10.1016/j.artint.2022.103829](https://doi.org/10.1016/j.artint.2022.103829).

- Hector Kohler, Quentin Delfosse, Riad Akrou, Kristian Kersting, and Philippe Preux. Interpretable and editable programmatic tree policies for reinforcement learning. In *Workshop on Interpretable Policies in Reinforcement Learning@ RLC-2024*, 2024.
- Agneza Krajna, Mario Bricic, Tomislav Lipic, and Juraj Doncevic. Explainability in reinforcement learning: Perspective and position, 2022.
- Zhixuan Lin, Yi-Fu Wu, Skand Vishwanath Peri, Weihao Sun, Gautam Singh, Fei Deng, Jindong Jiang, and Sungjin Ahn. SPACE: Unsupervised Object-Oriented Scene Representation via Spatial Attention and Decomposition. In *Proceedings of the International Conference on Learning Representations (ICLR)*, 2020.
- Lirui Luo, Guoxi Zhang, Hongming Xu, Yaodong Yang, Cong Fang, and Qing Li. INSIGHT: End-to-End Neuro-Symbolic Visual Reinforcement Learning with Language Explanations, 2024.
- Yecheng Jason Ma, William Liang, Guanzhi Wang, De-An Huang, Osbert Bastani, Dinesh Jayaraman, Yuke Zhu, Linxi Fan, and Anima Anandkumar. Eureka: Human-Level Reward Design via Coding Large Language Models. In *Proceedings of the International Conference on Learning Representations (ICLR)*, 2024.
- Marlos C. Machado, Marc G. Bellemare, Erik Talvitie, Joel Veness, Matthew Hausknecht, and Michael Bowling. Revisiting the Arcade Learning Environment: Evaluation Protocols and Open Problems for General Agents. *Journal of Artificial Intelligence Research*, 2018. doi: [10.1613/jair.5699](https://doi.org/10.1613/jair.5699).
- Stephanie Milani, Nicholay Topin, Manuela Veloso, and Fei Fang. Explainable Reinforcement Learning: A Survey and Comparative Review. *ACM Computing Surveys*, 2023. doi: [10.1145/3616864](https://doi.org/10.1145/3616864).
- Volodymyr Mnih, Koray Kavukcuoglu, David Silver, Alex Graves, Ioannis Antonoglou, Daan Wierstra, and Martin Riedmiller. Playing Atari with Deep Reinforcement Learning, 2013.
- Volodymyr Mnih, Koray Kavukcuoglu, David Silver, Andrei A. Rusu, Joel Veness, Marc G. Bellemare, Alex Graves, Martin Riedmiller, Andreas K. Fidjeland, Georg Ostrovski, Stig Petersen, Charles Beattie, Amir Sadik, Ioannis Antonoglou, Helen King, Dharshan Kumaran, Daan Wierstra, Shane Legg, and Demis Hassabis. Human-level control through deep reinforcement learning. *Nature*, 2015. doi: [10.1038/nature14236](https://doi.org/10.1038/nature14236).
- Suraj Nair, Eric Mitchell, Kevin Chen, Brian Ichter, Silvio Savarese, and Chelsea Finn. Learning Language-Conditioned Robot Behavior from Offline Data and Crowd-Sourced Annotation. In *Proceedings of the Conference on Robot Learning (CoRL)*, 2021.
- Pierre-Yves Oudeyer and Frederic Kaplan. How can we define intrinsic motivation? In *Proceedings of the Eight International Conference on Epigenetic Robotics: Modeling Cognitive Development in Robotic Systems*, 2008.
- Long Ouyang, Jeffrey Wu, Xu Jiang, Diogo Almeida, Carroll Wainwright, Pamela Mishkin, Chong Zhang, Sandhini Agarwal, Katarina Slama, Alex Ray, John Schulman, Jacob Hilton, Fraser Kelton, Luke Miller, Maddie Simens, Amanda Askell, Peter Welinder, Paul F. Christiano, Jan Leike, and Ryan Lowe. Training language models to follow instructions with human feedback. In *Advances in Neural Information Processing Systems (NeurIPS)*, 2022.
- Jing-Cheng Pang, Xin-Yu Yang, Si-Hang Yang, and Yang Yu. Natural language-conditioned reinforcement learning with inside-out task language development and translation. *arXiv*, 2023.
- David Raposo, Sam Ritter, Adam Santoro, Greg Wayne, Theophane Weber, Matt Botvinick, Hado van Hasselt, and Francis Song. Synthetic Returns for Long-Term Credit Assignment, 2021.
- Joseph Redmon, Santosh Divvala, Ross Girshick, and Ali Farhadi. You Only Look Once: Unified, Real-Time Object Detection. In *IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*, 2016. doi: [10.1109/CVPR.2016.91](https://doi.org/10.1109/CVPR.2016.91).

- Machel Reid, Yutaro Yamada, and Shixiang Shane Gu. Can Wikipedia Help Offline Reinforcement Learning?, 2022.
- John Schulman, Filip Wolski, Prafulla Dhariwal, Alec Radford, and Oleg Klimov. Proximal Policy Optimization Algorithms, 2017.
- Jingyuan Sha, Hikaru Shindo, Kristian Kersting, and Devendra Singh Dhami. Neural-symbolic predicate invention: Learning relational concepts from visual scenes. *Neurosymbolic Artificial Intelligence*, 2023.
- Jingyuan Sha, Hikaru Shindo, Quentin Delfosse, Kristian Kersting, and Devendra Singh Dhami. Expil: Explanatory predicate invention for learning in games. *arXiv*, 2024.
- Hikaru Shindo, Masaaki Nishino, and Akihiro Yamamoto. Differentiable inductive logic programming for structured examples. In *Proceedings of the AAAI Conference on Artificial Intelligence*, 2021.
- Hikaru Shindo, Viktor Pfanschilling, Devendra Singh Dhami, and Kristian Kersting.  $\alpha$  ilp: thinking visual scenes as differentiable logic programs. *Machine Learning*, 2023.
- K. W. Spence. The role of secondary reinforcement in delayed reward learning. *Psychological Review*, 1947. doi: [10.1037/h0056533](https://doi.org/10.1037/h0056533).
- Wolfgang Stammer, Antonia Wüst, David Steinmann, and Kristian Kersting. Neural concept binder. *arXiv*, 2024.
- David Steinmann, Wolfgang Stammer, Felix Friedrich, and Kristian Kersting. Learning to intervene on concept bottlenecks. *arXiv*, 2023.
- Mark Towers, Jordan K. Terry, Ariel Kwiatkowski, John U. Balis, Gianluca de Cola, Tristan Deleu, Manuel Goulão, Andreas Kallinteris, Arjun KG, Markus Krimmel, Rodrigo Perez-Vicente, Andrea Pierré, Sander Schulhoff, Jun Jet Tai, Andrew Tan Jin Shen, and Omar G. Younis. Gymnasium, 2023.
- Hado van Hasselt, Arthur Guez, and David Silver. Deep Reinforcement Learning with Double Q-Learning. In *Proceedings of the AAAI Conference on Artificial Intelligence*, 2016. doi: [10.1609/aaai.v30i1.10295](https://doi.org/10.1609/aaai.v30i1.10295).
- Yufei Wang, Zhanyi Sun, Jesse Zhang, Zhou Xian, Erdem Biyik, David Held, and Zackory Erickson. RL-VLM-F: Reinforcement Learning from Vision Language Foundation Model Feedback, 2024.
- Jason Wei, Xuezhi Wang, Dale Schuurmans, Maarten Bosma, Brian Ichter, Fei Xia, Ed Chi, Quoc V. Le, and Denny Zhou. Chain-of-Thought Prompting Elicits Reasoning in Large Language Models. In *Advances in Neural Information Processing Systems (NeurIPS)*, 2022.
- Yue Wu, Yewen Fan, Paul Pu Liang, Amos Azaria, Yuezhi Li, and Tom M. Mitchell. Read and Reap the Rewards: Learning to Play Atari with the Help of Instruction Manuals. In *Advances in Neural Information Processing Systems (NeurIPS)*, 2023.
- Antonia Wüst, Wolfgang Stammer, Quentin Delfosse, Devendra Singh Dhami, and Kristian Kersting. Pix2code: Learning to compose neural visual concepts as programs. *arXiv*, 2024.
- Tianbao Xie, Siheng Zhao, Chen Henry Wu, Yitao Liu, Qian Luo, Victor Zhong, Yanchao Yang, and Tao Yu. Text2Reward: Reward Shaping with Language Models for Reinforcement Learning. In *Proceedings of the International Conference on Learning Representations (ICLR)*, 2024.
- Li Zhou and Kevin Small. Inverse reinforcement learning with natural language goals. In *Proceedings of the AAAI Conference on Artificial Intelligence*, 2021.

## A Appendix

As mentioned in the main body, the appendix contains additional materials and supporting information for the following aspects: the hyperparameters used in this work (Appendix A.1), details on the prompts used for the LLM (Appendix A.3) as well as the generated reward functions (Appendix A.4), and numerical results (Appendix A.2).

### A.1 Hyperparameters and Experimental Details

In this section, we list the hyperparameters used during the training and optimization of our models. For our experiments, we adopted the parameter set proposed by Huang et al. (2022) for our PPO agents, as detailed in Table 2.

Table 2: **Hyperparameter Configuration for Training Settings (PPO)**. This table provides a comprehensive overview of the essential hyperparameters utilized in our experimental section.

Hyperparameter	Value	Hyperparameter	Value
batch size	1024	Clipping Coef.	0.1
$\gamma$	0.99	KL target	None
minibatch size	256	GAE $\lambda$	0.95
seeds	42,73,91	input representation	4x84x84
total timesteps	10M	gym version	0.28.1
learning rate	0.00025	pytorch version	1.12.1
optimizer	Adam		
more information	<a href="https://docs.cleanrl.dev/rl-algorithms/ppo/">https://docs.cleanrl.dev/rl-algorithms/ppo/</a>		

OCALM-based agents use the same PPO hyperparameter values as agents trained on ALE rewards. All agents use ConvNets (Mnih et al., 2015) with ReLU activation functions for policy and value networks. We utilized a decreasing learning rate of  $2.5 \times 10^{-4}$  over 10 million steps. We use the Atari environments in version v5 provided by Gymnasium (Towers et al., 2023), following best-practices recommended by Machado et al. (2018). To accelerate training, we used 8 parallel game environments.

To mitigate noise and fluctuations, we use exponential moving average (EMA) smoothing in Figure 3 and Figure 4. We use an effective window size of 50, resulting in a smoothing factor  $\alpha = 2/(1+50) \approx 0.039$  used in the following formula:

$$EMA_t = (1 - \alpha) \cdot EMA_{t-1} + \alpha \cdot y_t. \quad (1)$$

To manage irregular training intervals due to rewards are not always being reported in the same timestep, we ignore missing values when computing the average, relying on the EMA smoothing to provide a continuous curve. For the error bands, we used the standard deviation of your data within a rolling window.

### A.2 Numerical Results

In this section, we provide additional numerical results for the experiments conducted in this work.

Table 3: Numerical results for the experiments we conducted, including random and human baselines from [van Hasselt et al. \(2016\)](#) for comparison. Standard deviations are provided where available. Our agents use PPO and *ALE v5* and have been trained using 10 million frames. The results reported are the in-game rewards from the ALE/emulator, not from OCALM. Note, [van Hasselt et al. \(2016\)](#) predate the *v5* version of the ALE environments used by us, which is based on the best practices outlined by [Machado et al. \(2018\)](#). However, this should not change the values much since these changes have less influence on humans or the random agent.

Game	PPO	PPO	PPO	Random	Human
	ALE Reward (Baseline)	OCALM (full) (Ours)	OCALM (no relations)	van Hasselt et al.	van Hasselt et al.
Freeway	$33.8 \pm 0.2$	$32.35 \pm 0.25$	0.00	0.00	29.6
Pong	$17.5 \pm 0.5$	$16.4 \pm 1.4$	$-15.8 \pm 3.5$	-20.7	14.6
Seaquest	$1132.4 \pm 271.4$	$672.2 \pm 28.3$	$243 \pm 86.3$	68.4	20182
Skiing	$-23921.3 \pm 10528.6$	$-28577.7 \pm 2842.3$	-30000	-17098	-4336

### A.3 LLM Prompting Details

In our experiments we used the LLM gpt-4-turbo<sup>1</sup> with seed 42 and top\_k = 0. We further defined a system prompt that was used for both, direct and relational multi-turn prompting (Listing 2).

---

<sup>1</sup> You are a helpful assistant that creates reward functions for reinforcement learning researchers.

---

Listing 2: System prompt provided to the LLM.

For direct prompting, we asked the LLM to create a reward function directly, given a game instruction and the game object classes. The game instructions are a few sentences that describe the objective of the game (based on the documentation of the Gymnasium environment collection ([Towers et al., 2023](#))) and the game objects are Python classes provided by the OCAtari framework ([Delfosse et al., 2023a](#)), further described in Appendix A.3.2.

For relational multi-turn prompting, we first ask the LLM to provide functions that might be relevant for understanding the state and events of the game Listing 4. Based on these functions, the model is then asked to create a reward function with Listing 5. As a last step, the model is asked to adjust the rewards so that they are on a scale from -1 to 1 Listing 6.

#### A.3.1 The Object Properties used for OCALM

In this paper, we used different object properties as the inputs to the LLM-written reward functions. The object-centric environment context is given by the classes provided by the OCAtari framework ([Delfosse et al., 2023a](#)), i.e., the parent game object class<sup>2</sup> and the game-specific objects<sup>3</sup>. The game objects related to the score were omitted (since we are assuming a reward-free environment). An overview of the object properties used by OCALM is provided in Table 4 and concrete implementation details can be found in Appendix A.3.2.

#### A.3.2 Example of Game Objects

As described in the previous section, the game objects are Python classes provided by the (MIT licensed) OCAtari framework ([Delfosse et al., 2023a](#)). We provide the parent class for game objects and an example of game objects for Pong here for illustration purposes. Note that we have elided parts of the parent class in the listing for brevity, indicated by `#elided#`. Refer to [https://github.com/k4ntz/OC\\_Atari/blob/master/ocatari/ram/game\\_objects.py](https://github.com/k4ntz/OC_Atari/blob/master/ocatari/ram/game_objects.py).

<sup>1</sup><https://platform.openai.com/docs/models/gpt-4-turbo-and-gpt-4>

<sup>2</sup>[https://github.com/k4ntz/OC\\_Atari/blob/master/ocatari/ram/game\\_objects.py](https://github.com/k4ntz/OC_Atari/blob/master/ocatari/ram/game_objects.py)

<sup>3</sup>e.g., [https://github.com/k4ntz/OC\\_Atari/blob/master/ocatari/ram/pong.py](https://github.com/k4ntz/OC_Atari/blob/master/ocatari/ram/pong.py)

---

```

1 We want to create a object centric reward function to train a reinforcement learning agent to play the
  game <GAME>. Here is a description of the game and its objects:
2
3 <PARENT GAME OBJECT CLASS>
4
5 <GAME OBJECT CLASSES>
6
7 The game instructions are the following:
8 <INSTRUCTIONS>
9
10 Please provide a Python file with a reward function that uses a list of objects of type GameObject as
  input that will help the agent to play the game, i.e.:
11 ```python
12 def reward_function(game_objects) -> float:
13     ...
14     return reward
15 ```
16
17 Do not use undefined variables or functions. Do not give any textual explanations, just generate the
  python code. If you give an explanation, please provide it in the form of a comment in the code.

```

---

Listing 3: Prompt for reward function based on game instructions and game objects provided to the LLM.

---

```

1 We want to create a reward function for playing the Atari game <GAME>. As a first step we want to
  collect functions that are helpful for understanding events that are happening in the game that could
  be relevant for the reward, i.e., items colliding. In the following there will be existing game
  objects given, please generate functions that can be used to understand the game state. Please don't
  use undefined variables or functions.
2
3 Here is a description of the game and its objects:
4
5 <PARENT GAME OBJECT CLASS>
6
7 <GAME OBJECT CLASSES>
8
9 The game instructions are the following:
10 <INSTRUCTIONS>

```

---

Listing 4: Prompt for helpful functions based on game instructions and game objects.

Name	Definition	Description
class	NAME	object class ( <i>e.g.</i> "Agent", "Ball", "Ghost")
position	$x, y$	position on the screen
position history	$x_t, y_t, x_{t-1}, y_{t-1}$	position and past position on the screen
orientation	$o$	object's orientation if available
RGB	$R, G, B$	RGB values

Table 4: Descriptions of object properties used by OCALM.

[com/k4ntz/OC\\_Atari/blob/v0.1.0/ocatari/ram/game\\_objects.py](https://github.com/k4ntz/OC_Atari/blob/v0.1.0/ocatari/ram/game_objects.py) for the full parent class and [https://github.com/k4ntz/OC\\_Atari/blob/v0.1.0/ocatari/ram/pong.py](https://github.com/k4ntz/OC_Atari/blob/v0.1.0/ocatari/ram/pong.py) for the source of the Pong example.

```
1 Now please create a object centric reward function to train a reinforcement learning agent to play the
  game <GAME>. The reward function uses a list of objects of type GameObject as input, i.e.:
2 ```python
3 def reward_function(game_objects) -> float:
4     ...
5     return reward
6 ```
7 You can use the identified functions from before. Please don't use other undefined variables or
  functions.
8 <INSTRUCTIONS>
```

---

Listing 5: Prompt for reward function based on identified functions from before.

```
1 Thank you. Now please adjust the rewards so that the rewards are in the range [-1, 1].
```

---

Listing 6: Prompt for rescaling reward values.

```
1 class GameObject:
2     """
3     The Parent Class of every detected object in the Atari games (RAM Extraction mode)
4
5     #elided#
6     """
7
8     GET_COLOR = False
9     GET_WH = False
10
11     def __init__(self):
12         self.rgb = (0, 0, 0)
13         self._xy = (0, 0)
14         self.wh = (0, 0)
15         self._prev_xy = None
16         self._orientation = None
17         self.hud = False
18
19     def __repr__(self):
20         return f"{self.__class__.__name__} at ({self._xy[0]}, {self._xy[1]}), {self.wh}"
21
22     @property
23     def category(self):
24         return self.__class__.__name__
25
26     @property
27     def x(self):
28         return self._xy[0]
29
30     @property
31     def y(self):
32         return self._xy[1]
33
34     #elided
35
36     def _save_prev(self):
37         self._prev_xy = self._xy
38
39     # @x.setter
40     # def x(self, x):
41
42     #     self._xy = x, self._xy[1]
```

```
43
44 # @y.setter
45 # def y(self, y):
46 #     self._xy = self.xy[0], y
47
48 @property
49 def orientation(self):
50     return self._orientation
51
52 @orientation.setter
53 def orientation(self, o):
54     self._orientation = o
55
56 @property
57 def center(self):
58     return self._xy[0] + self.wh[0]/2, self._xy[1] + self.wh[1]/2
59
60 def is_on_top(self, other):
61     """
62     Returns ``True`` if this and another gameobject overlap.
63
64     :return: True if objects overlap
65     :rtype: bool
66     """
67     return (other.x <= self.x <= other.x + other.w) and \
68           (other.y <= self.y <= other.y + other.h)
69
70 def manathan_distance(self, other):
71     """
72     Returns the manathan distance between the center of both objects.
73
74     :return: True if objects overlap
75     :rtype: bool
76     """
77     c0, c1 = self.center, other.center
78     return abs(c0[0] - c1[0]) + abs(c0[1] - c1[1])
79
80 def closest_object(self, others):
81     """
82     Returns the closest object from others, based on manathan distance between the center of both
83     ↪ objects.
84
85     :return: (Index, Object) from others
86     :rtype: int
87     """
88     if len(others) == 0:
89         return None
90     return min(enumerate(others), key=lambda item: self.manathan_distance(item[1]))
91
92 class ValueObject(GameObject):
93     """
94     This class represents a game object that incorporates any notion of a value.
95     For example:
96     * the score of the player (or sometimes Enemy).
97     * the level of useable/deployable resources (oxygen bars, ammunition bars, power gauges, etc.)
98     * the clock/timer
99
100     :ivar value: The value of the score.
101     :vartype value: int
102     """
103
104     def __init__(self):
105         super().__init__()
106         self._value = 0
107         self._prev_value = None
108
109     @property
```



```
110 def value(self):
111     return self._value
112
113 @value.setter
114 def value(self, value):
115     self._value = None if value is None else int(value)
116
117 @property
118 def prev_value(self):
119     if self._prev_value is not None:
120         return self._prev_value
121     else:
122         return self._value
123
124 def _save_prev(self):
125     super()._save_prev()
126     self._prev_value = self._value
127
128 @property
129 def value_diff(self):
130     return self.value - self.prev_value
```

---

```
1 class Player(GameObject):
2     """
3     The player figure i.e., the movable bar at the side.
4     """
5
6     def __init__(self):
7         super().__init__()
8         self._xy = 0, 0
9         self.wh = 4, 15
10        self.rgb = 92, 186, 92
11
12
13 class Enemy(GameObject):
14     """
15     The enemy bar on the opposite side.
16     """
17
18     def __init__(self):
19         super().__init__()
20         self._xy = 0, 0
21         self.wh = 4, 15
22         self.rgb = 213, 130, 74
23
24
25 class Ball(GameObject):
26     """
27     The game ball.
28     """
29
30     def __init__(self):
31         super().__init__()
32         self._xy = 0, 0
33         self.wh = 2, 4
34         self.rgb = 236, 236, 236
```

---

Listing 7: The parent classes for game objects.

#### A.4 Game Descriptions and Rewards

In the following, we provide the used game descriptions, our OCALM (full) reward functions and OCALM (no relations) reward functions for the games Pong, Freeway, Seaquest and Skiing.

### A.4.1 Freeway

- 
- 1 You control a chicken that has to cross ten horizontal lanes of a freeway traffic.
  - 2 There exist two chickens in the game, you control the left chicken, that starts at the bottom of the road and should go to the top.
  - 3 Cars are traveling along the horizontal lanes and you should cross without getting run over by a car.
  - 4 The screen height is 160.
- 

Listing 8: Game description of Freeway.

---

```
1 from ocatari.ram.freeway import *
2
3
4 def detect_collision(chicken, car):
5     """
6     Determines if a collision occurs between a chicken and a car.
7
8     :param chicken: An instance of the Chicken class.
9     :param car: An instance of the Car class.
10    :return: True if there is a collision, False otherwise.
11    """
12    chicken_x1, chicken_y1 = chicken.x, chicken.y
13    chicken_x2, chicken_y2 = chicken.x + chicken.w, chicken.y + chicken.h
14    car_x1, car_y1 = car.x, car.y
15    car_x2, car_y2 = car.x + car.w, car.y + car.h
16
17    # Check if any corner of the chicken is within the car's boundaries
18    if (car_x1 <= chicken_x1 <= car_x2 or car_x1 <= chicken_x2 <= car_x2) and (
19        car_y1 <= chicken_y1 <= car_y2 or car_y1 <= chicken_y2 <= car_y2
20    ):
21        return True
22    return False
23
24
25 def has_reached_top(chicken, screen_height):
26     """
27     Checks if the chicken has reached the top of the screen.
28
29     :param chicken: An instance of the Chicken class.
30     :param screen_height: The height of the screen (int).
31     :return: True if the chicken has reached the top, False otherwise.
32     """
33    return chicken.y <= 0
34
35
36 def progress_made(chicken, screen_height):
37     """
38     Measures the progress made by the chicken towards the top of the screen.
39
40     :param chicken: An instance of the Chicken class.
41     :param screen_height: The height of the screen (int).
42     :return: A float representing the percentage of the screen crossed.
43     """
44    return (screen_height - chicken.y) / screen_height
45
46
47 def check_if_reset(chicken, initial_position):
48     """
49     Checks if the chicken has been reset to the initial position (usually after a collision).
50
51     :param chicken: An instance of the Chicken class.
52     :param initial_position: The starting position of the chicken (tuple of int).
53     :return: True if the chicken is at the initial position, False otherwise.
```

```
54     """
55     return chicken.xy == initial_position
56
57
58 def find_closest_car(chicken, cars):
59     """
60     Finds the closest car to the chicken based on the Manhattan distance.
61
62     :param chicken: An instance of the Chicken class.
63     :param cars: A list of Car instances.
64     :return: The closest car instance.
65     """
66     if not cars:
67         return None
68     return min(cars, key=lambda car: chicken.manathan_distance(car))
69
70
71 def reward_function(game_objects) -> float:
72     # Initialize reward
73     reward = 0.0
74
75     # Constants
76     SCREEN_HEIGHT = 160
77     COLLISION_PENALTY = -1.0 # Scaled down to fit within [-1, 1]
78     PROGRESS_REWARD = 0.1 # Scaled down to incrementally increase reward
79     SUCCESS_REWARD = 1.0 # Maximum reward for reaching the top
80
81     # Filter out chickens and cars from game_objects
82     chickens = [obj for obj in game_objects if isinstance(obj, Chicken)]
83     cars = [obj for obj in game_objects if isinstance(obj, Car)]
84
85     # Assume control of the leftmost chicken (player's chicken)
86     if chickens:
87         player_chicken = min(chickens, key=lambda c: c.x)
88
89         # Check if the chicken has reached the top
90         if has_reached_top(player_chicken, SCREEN_HEIGHT):
91             reward += SUCCESS_REWARD
92
93         # Reward based on progress towards the top
94         reward += progress_made(player_chicken, SCREEN_HEIGHT) * PROGRESS_REWARD
95
96         # Check for collisions with any car
97         for car in cars:
98             if detect_collision(player_chicken, car):
99                 reward += COLLISION_PENALTY
100                 break # Only penalize once per time step
101
102     # Ensure reward stays within the range [-1, 1]
103     reward = max(min(reward, 1.0), -1.0)
104
105     return reward
```

---

Listing 9: OCALM (full) reward function of the game Freeway.

```
1 from ocatari.ram.freeway import *
2
3 def reward_function(game_objects) -> float:
4     # Initialize reward
5     reward = 0.0
6
7     # Define constants for screen dimensions
8     SCREEN_HEIGHT = 160
9
10    # Find the player's chicken and cars in the game objects
11    player_chicken = None
12    cars = []
13
14    for obj in game_objects:
15        if obj.category == "Chicken" and obj.x < SCREEN_HEIGHT // 2: # Assuming player chicken starts
16            ↪ on the left
17            player_chicken = obj
18        elif obj.category == "Car":
19            cars.append(obj)
20
21    # If the player's chicken is not found, return a neutral reward
22    if player_chicken is None:
23        return reward
24
25    # Reward for moving upwards, normalized by screen height
26    reward += (player_chicken.dy / SCREEN_HEIGHT)
27
28    # Penalty for moving downwards, normalized and increased in impact
29    if player_chicken.dy < 0:
30        reward -= 2 * (abs(player_chicken.dy) / SCREEN_HEIGHT)
31
32    # Check for collisions with cars
33    for car in cars:
34        if player_chicken.is_on_top(car):
35            # Large penalty for collisions, ensuring it stays within the range
36            reward -= 0.5
37
38    # Bonus for reaching the top of the screen, ensuring it stays within the range
39    if player_chicken.y <= 0:
40        reward += 0.5
41
42    # Ensure the reward is clamped between -1 and 1
43    reward = max(min(reward, 1), -1)
44
45    return reward
```

---

Listing 10: Direct reward function of the game Freeway.

## A.4.2 Pong

---

1 In this game the agent has to knock the ball past the enemy's paddle, situated on the left (good), and  
↪ avoid letting the ball go past its paddle, on the right (bad). If the ball passes the paddle of  
↪ the enemy, the agent gets a point. If the ball passes past the agents paddle, the enemy gets a  
↪ point. After a scored point the ball continues moving behind the paddle for multiple frames before  
↪ it respawns for a new round.

---

Listing 11: Game description of Pong.

---

```
1 from ocatari.ram.pong import *
2
3
4 def check_collision(obj1, obj2):
5     """
6     Check if two GameObjects are colliding.
7
8     :param obj1: First game object.
9     :param obj2: Second game object.
10    :return: True if objects are colliding, False otherwise.
11    """
12    return (
13        obj1.x < obj2.x + obj2.w
14        and obj1.x + obj1.w > obj2.x
15        and obj1.y < obj2.y + obj2.h
16        and obj1.y + obj1.h > obj2.y
17    )
18
19
20 def ball_passed_paddle(ball, paddle, playing_field_width):
21     """
22     Check if the ball has passed the given paddle.
23
24     :param ball: The ball object.
25     :param paddle: The paddle object (player or enemy).
26     :param playing_field_width: The width of the playing field.
27     :return: True if the ball has passed the paddle, False otherwise.
28     """
29     if paddle.category == "Player":
30         # Check if the ball has passed the player's paddle on the right
31         return ball.x > playing_field_width
32     elif paddle.category == "Enemy":
33         # Check if the ball has passed the enemy's paddle on the left
34         return ball.x + ball.w < 0
35     return False
36
37
38 def update_game_state(objects):
39     """
40     Update the game state by saving the previous positions of the objects.
41
42     :param objects: List of all game objects.
43     """
44     for obj in objects:
45         obj._save_prev()
46
47
48 def detect_score_event(ball, player_paddle, enemy_paddle, playing_field_width):
49     """
50     Detect if a scoring event has occurred.
51
52     :param ball: The ball object.
53     :param player_paddle: The player's paddle object.
```

```
54     :param enemy_paddle: The enemy's paddle object.
55     :param playing_field_width: The width of the playing field.
56     :return: 'player' if player scores, 'enemy' if enemy scores, None otherwise.
57     """
58     if ball_passed_paddle(ball, enemy_paddle, playing_field_width):
59         return "player"
60     elif ball_passed_paddle(ball, player_paddle, playing_field_width):
61         return "enemy"
62     return None
63
64
65 def reward_function(game_objects) -> float:
66     # Initialize reward
67     reward = 0.0
68
69     # Identify the ball, player paddle, and enemy paddle from game_objects
70     ball = None
71     player_paddle = None
72     enemy_paddle = None
73     playing_field_width = 160 # Assuming a standard Atari Pong width
74
75     for obj in game_objects:
76         if isinstance(obj, Ball):
77             ball = obj
78         elif isinstance(obj, Player):
79             player_paddle = obj
80         elif isinstance(obj, Enemy):
81             enemy_paddle = obj
82
83     # Check if the ball and paddles are identified correctly
84     if ball is None or player_paddle is None or enemy_paddle is None:
85         return reward # No change in reward if essential objects are missing
86
87     # Check for scoring events
88     score_event = detect_score_event(
89         ball, player_paddle, enemy_paddle, playing_field_width
90     )
91     if score_event == "player":
92         reward += 1.0 # Reward for scoring against the enemy
93     elif score_event == "enemy":
94         reward -= 1.0 # Penalty for the enemy scoring
95
96     # Check for collisions with paddles to encourage hitting the ball
97     if check_collision(ball, player_paddle) or check_collision(ball, enemy_paddle):
98         reward += 0.1 # Small reward for hitting the ball with either paddle
99
100    # Normalize the reward to be within [-1, 1]
101    reward = max(min(reward, 1), -1)
102
103    return reward
```

---

Listing 12: OCALM (full) reward function of the game Pong.

```
1 from ocatari.ram.pong import *
2
3 def reward_function(game_objects) -> float:
4     # Initialize reward
5     reward = 0.0
6
7     # Define identifiers for game objects
8     player_id = None
9     enemy_id = None
10    ball_id = None
11
12    # Find indices for player, enemy, and ball
13    for i, obj in enumerate(game_objects):
14        if obj.category == "Player":
15            player_id = i
16        elif obj.category == "Enemy":
17            enemy_id = i
18        elif obj.category == "Ball":
19            ball_id = i
20
21    # Get the game objects
22    player = game_objects[player_id]
23    enemy = game_objects[enemy_id]
24    ball = game_objects[ball_id]
25
26    # Check if the ball has passed the enemy paddle
27    if ball.x < enemy.x:
28        reward += 1 # Reward for scoring a point
29
30    # Check if the ball has passed the player paddle
31    if ball.x > player.x + player.w:
32        reward -= 1 # Penalty for letting the enemy score
33
34    # Normalize reward to be within the range [-1, 1]
35    reward = max(min(reward, 1), -1)
36
37    return reward
```

---

Listing 13: Direct reward function of the game Pong.

### A.4.3 Seaquest

---

- 1 You a sub (Player) able to move in all directions and fire torpedoes.
  - 2 The goal is to retrieve as many divers as you can, while dodging and blasting enemy subs and killer  
↳ sharks.
  - 3 The game begins with one sub and three waiting on the horizon. Each time you increase your score by  
↳ 10,000 points, an extra sub will be delivered to your base.
  - 4 Your sub will explode if it collides with anything except your divers. The sub has a limited amount of  
↳ oxygen that decreases at a constant rate during the game. When the oxygen tank is almost empty,  
↳ you need to surface and if you don't do it in time, your sub will blow up and you'll lose one  
↳ diver.
  - 5 Each time you're forced to surface, with less than six divers, you lose one diver as well.
- 

Listing 14: Game description of Seaquest.

---

```
1 from ocatari.ram.seaquest import *
2
3 def check_collision(obj1, obj2):
4     """
5     Check if two GameObjects collide based on their bounding boxes.
6     """
7     return (obj1.x < obj2.x + obj2.w and
8             obj1.x + obj1.w > obj2.x and
9             obj1.y < obj2.y + obj2.h and
10            obj1.y + obj1.h > obj2.y)
11
12 def update_game_state(objects):
13     """
14     Update positions of all game objects and check for collisions.
15     """
16     collisions = []
17     for obj in objects:
18         # Update position based on velocity
19         obj.xy = (obj.x + obj.dx, obj.y + obj.dy)
20
21         # Check for collisions with other objects
22         for other in objects:
23             if obj != other and check_collision(obj, other):
24                 collisions.append((obj, other))
25     return collisions
26
27 def manage_oxygen_and_lives(player, oxygen_bar, lives):
28     """
29     Decrease oxygen levels and manage lives based on oxygen and collisions.
30     """
31     # Decrease oxygen
32     oxygen_bar.value -= 1
33     if oxygen_bar.value <= 0:
34         player.lives -= 1
35         oxygen_bar.value = 100 # Reset oxygen after surfacing or losing a life
36
37     # Check if lives are depleted
38     if lives.value <= 0:
39         print("Game Over")
40
41 def update_score_and_divers(player, divers_collected, score):
42     """
43     Update score based on collected divers and manage divers.
44     """
45     for diver in divers_collected:
46         if check_collision(player, diver):
47             score.value += 1000 # Increment score for each diver collected
48             divers_collected.remove(diver) # Remove diver from the game
49
```



```
50 def fire_torpedo(player, torpedoes):
51     """
52     Create a new torpedo at the player's location and add it to the torpedoes list.
53     """
54     new_torpedo = PlayerMissile()
55     new_torpedo.xy = player.xy
56     torpedoes.append(new_torpedo)
57
58
59 def reward_function(game_objects) -> float:
60     reward = 0.0
61
62     # Define categories for easy identification
63     player = None
64     divers = []
65     enemies = []
66     player_missiles = []
67     enemy_missiles = []
68     oxygen_bar = None
69
70     # Classify objects
71     for obj in game_objects:
72         if isinstance(obj, Player):
73             player = obj
74         elif isinstance(obj, Diver):
75             divers.append(obj)
76         elif isinstance(obj, Shark) or isinstance(obj, Submarine):
77             enemies.append(obj)
78         elif isinstance(obj, PlayerMissile):
79             player_missiles.append(obj)
80         elif isinstance(obj, EnemyMissile):
81             enemy_missiles.append(obj)
82         elif isinstance(obj, OxygenBar):
83             oxygen_bar = obj
84
85     # Check for collisions and manage interactions
86     if player:
87         for diver in divers:
88             if check_collision(player, diver):
89                 reward += 0.1 # Scaled down reward for collecting a diver
90                 divers.remove( diver ) # Assume diver is collected and removed from the game
91         for enemy in enemies:
92             if check_collision(player, enemy):
93                 reward -= 0.1 # Scaled down penalty for colliding with an enemy
94         for missile in enemy_missiles:
95             if check_collision(player, missile):
96                 reward -= 0.05 # Scaled down penalty for getting hit by an enemy missile
97         # Reward for hitting enemies with missiles
98         for missile in player_missiles:
99             for enemy in enemies:
100                 if check_collision(missile, enemy):
101                     reward += 0.05 # Scaled down reward for destroying an enemy
102                     enemies.remove(enemy) # Assume enemy is destroyed and removed from the game
103                     player_missiles.remove(missile) # Remove missile after hitting
104
105     # Manage oxygen levels
106     if oxygen_bar and oxygen_bar.value <= 20:
107         reward -= 0.05 # Scaled down penalty for low oxygen levels
108
109     # Encourage surfacing if oxygen is too low
110     if oxygen_bar and oxygen_bar.value <= 10:
111         reward -= 0.1 # Scaled down higher penalty for critically low oxygen
112
113     return reward
```

---

Listing 15: OCALM (full) reward function of the game Seaquest.

```
1 from ocatari.ram.seaquest import *
2
3 def reward_function(game_objects) -> float:
4     # Initialize reward
5     reward = 0.0
6
7     # Define constants for reward values, adjusted to be within the range [-1, 1]
8     REWARD_FOR_COLLECTING_DIVER = 0.1
9     PENALTY_FOR_COLLISION = -0.1
10    PENALTY_FOR_LOW_OXYGEN = -0.05
11    REWARD_FOR_BLASTING_ENEMY = 0.05
12    PENALTY_FOR_LOSING_DIVER_WHEN_SURFACING = -0.025
13
14    # Helper function to find an object by its class name
15    def find_objects_by_type(type_name):
16        return [obj for obj in game_objects if obj.category == type_name]
17
18    # Get specific game objects
19    player = find_objects_by_type('Player')[0] if find_objects_by_type('Player') else None
20    divers = find_objects_by_type('Diver')
21    sharks = find_objects_by_type('Shark')
22    enemy_subs = find_objects_by_type('Submarine')
23    enemy_missiles = find_objects_by_type('EnemyMissile')
24    player_missiles = find_objects_by_type('PlayerMissile')
25    oxygen_bar = find_objects_by_type('OxygenBar')[0] if find_objects_by_type('OxygenBar') else None
26
27    # Reward for collecting divers
28    for diver in divers:
29        if player and player.is_on_top(diver):
30            reward += REWARD_FOR_COLLECTING_DIVER
31
32    # Penalty for collisions with sharks or enemy submarines
33    for shark in sharks:
34        if player and player.is_on_top(shark):
35            reward += PENALTY_FOR_COLLISION
36
37    for enemy_sub in enemy_subs:
38        if player and player.is_on_top(enemy_sub):
39            reward += PENALTY_FOR_COLLISION
40
41    # Check for low oxygen
42    if oxygen_bar and oxygen_bar.value < 20:
43        reward += PENALTY_FOR_LOW_OXYGEN
44
45    # Reward for blasting enemy submarines with missiles
46    for missile in player_missiles:
47        for enemy_sub in enemy_subs:
48            if missile.is_on_top(enemy_sub):
49                reward += REWARD_FOR_BLASTING_ENEMY
50
51    # Penalty for enemy missiles hitting the player
52    for missile in enemy_missiles:
53        if player and missile.is_on_top(player):
54            reward += PENALTY_FOR_COLLISION
55
56    # Penalty for surfacing with less than six divers
57    collected_divers = find_objects_by_type('CollectedDiver')
58    if len(collected_divers) < 6 and player and player.y == 0: # Assuming y=0 is the surface
59        reward += PENALTY_FOR_LOSING_DIVER_WHEN_SURFACING
60
61    return reward
```

---

Listing 16: Direct reward function of the game Seaquest.

#### A.4.4 Skiing

---

- 1 You control a skier (Player), going down a slope who can move sideways.
  - 2 The Player is at the top of the screen, staying at the same y position but the other objects of the  
↳ environments are moving up towards him.
  - 3 The goal is to ski in between the horizontal pairs of flags.
  - 4 There can be up to two pairs of poles on the screen.
  - 5 Do not hit a tree or a flag or you'll fall and lose time.
- 

Listing 17: Game description of Skiing.

---

```
1 from ocatari.ram.skiing import *
2
3 def check_collision(player, objects):
4     """
5     Check if the player has collided with any of the given objects (flags or trees).
6
7     :param player: The player object.
8     :param objects: A list of game objects (flags or trees).
9     :return: True if a collision is detected, False otherwise.
10    """
11    for obj in objects:
12        if (player.x < obj.x + obj.w and
13            player.x + player.w > obj.x and
14            player.y < obj.y + obj.h and
15            player.y + player.h > obj.y):
16            return True
17    return False
18
19 def check_gate_passage(player, flag1, flag2):
20     """
21     Check if the player has passed between two flags.
22
23     :param player: The player object.
24     :param flag1: The first flag object.
25     :param flag2: The second flag object.
26     :return: True if the player has passed between the flags, False otherwise.
27    """
28    if flag1.y == flag2.y: # Ensure flags are aligned horizontally
29        gate_left = min(flag1.x, flag2.x)
30        gate_right = max(flag1.x + flag1.w, flag2.x + flag2.w)
31        player_center_x = player.x + player.w / 2
32        return gate_left <= player_center_x <= gate_right
33    return False
34
35 def distance_to_nearest_obstacle(player, obstacles):
36     """
37     Calculate the Manhattan distance from the player to the nearest obstacle.
38
39     :param player: The player object.
40     :param obstacles: A list of obstacle objects (trees or moguls).
41     :return: The Manhattan distance to the closest obstacle.
42    """
43    closest_distance = float('inf')
44    for obstacle in obstacles:
45        distance = player.manathan_distance(obstacle)
46        if distance < closest_distance:
47            closest_distance = distance
48    return closest_distance
49
50 def update_game_state(objects, dy):
51     """
52     Update the positions of all game objects to simulate the player moving down the slope.
53    """
```

```
54     :param objects: A list of all movable game objects.
55     :param dy: The change in y-coordinate to apply to each object.
56     """
57     for obj in objects:
58         if not obj.hud:
59             obj.y += dy
60
61
62 def reward_function(objects):
63     """
64     Calculate the reward for the current game state based on the player's interactions with game
65     ↪ objects,
66     with rewards scaled to be within the range [-1, 1].
67
68     :param objects: A list of all game objects currently in the game.
69     :return: A numerical reward value.
70     """
71     # Initialize reward
72     reward = 0
73
74     # Define penalty and reward values, scaled to ensure the total reward remains within [-1, 1]
75     collision_penalty = -1
76     gate_pass_reward = 0.5
77     close_to_obstacle_penalty = -0.01
78
79     # Filter objects by type
80     player = next(obj for obj in objects if isinstance(obj, Player))
81     flags = [obj for obj in objects if isinstance(obj, Flag)]
82     trees = [obj for obj in objects if isinstance(obj, Tree)]
83     moguls = [obj for obj in objects if isinstance(obj, Mogul)]
84
85     # Check for collisions with trees or flags
86     if check_collision(player, trees + flags):
87         reward += collision_penalty
88
89     # Check for successful gate passage
90     # Assuming flags come in pairs, sorted by y and then x
91     flags_sorted = sorted(flags, key=lambda f: (f.y, f.x))
92     for i in range(0, len(flags_sorted), 2):
93         if i+1 < len(flags_sorted) and check_gate_passage(player, flags_sorted[i], flags_sorted[i+1]):
94             reward += gate_pass_reward
95
96     # Penalize being too close to the nearest obstacle
97     nearest_obstacle_distance = distance_to_nearest_obstacle(player, trees + moguls)
98     # Assuming a threshold below which the player is considered too close to an obstacle
99     if nearest_obstacle_distance < 20:
100         reward += close_to_obstacle_penalty * (20 - nearest_obstacle_distance)
101
102     # Ensure the reward is within the range [-1, 1]
103     reward = max(min(reward, 1), -1)
104
105     return reward
```

---

Listing 18: OCALM (full) reward function of the game Skiing.

```
1 from ocatari.ram.skiing import *
2
3 def reward_function(game_objects) -> float:
4     # Initialize reward
5     reward = 0.0
6
7     # Define constants for reward/penalty values
8     FLAG_PASS_REWARD = 0.1
9     TREE_COLLISION_PENALTY = -0.3
10    FLAG_COLLISION_PENALTY = -0.2
11    MOGUL_COLLISION_PENALTY = -0.05
12
13    # Helper function to check if the player collides with any object
14    def check_collision(player, obj):
15        return (obj.x <= player.x <= obj.x + obj.w or obj.x <= player.x + player.w <= obj.x + obj.w)
16        ↪ and \
17            (obj.y <= player.y <= obj.y + obj.h or obj.y <= player.y + player.h <= obj.y + obj.h)
18
19    # Extract player and other objects
20    player = None
21    flags = []
22    trees = []
23    moguls = []
24
25    for obj in game_objects:
26        if isinstance(obj, Player):
27            player = obj
28        elif isinstance(obj, Flag):
29            flags.append(obj)
30        elif isinstance(obj, Tree):
31            trees.append(obj)
32        elif isinstance(obj, Mogul):
33            moguls.append(obj)
34
35    # Check for collisions and successful flag passes
36    if player:
37        # Check for collisions with trees
38        for tree in trees:
39            if check_collision(player, tree):
40                reward += TREE_COLLISION_PENALTY
41        # Check for collisions with flags
42        for flag in flags:
43            if check_collision(player, flag):
44                reward += FLAG_COLLISION_PENALTY
45        # Check for collisions with moguls
46        for mogul in moguls:
47            if check_collision(player, mogul):
48                reward += MOGUL_COLLISION_PENALTY
49        # Check if player passes between flags (assuming flags come in pairs)
50        if len(flags) >= 2:
51            # Sort flags by x to pair them
52            sorted_flags = sorted(flags, key=lambda f: f.x)
53            for i in range(0, len(sorted_flags) - 1, 2):
54                flag1 = sorted_flags[i]
55                flag2 = sorted_flags[i+1]
56                # Check if player is between the flags
57                if flag1.x < player.x < flag2.x:
58                    reward += FLAG_PASS_REWARD
59
60    return reward
```

---

Listing 19: Direct reward function of the game Skiing.